
Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.



6271

DOTY & DOERNER, Inc.

PORTLAND, OREGON



FEB 15 1943 &

Select Nursery Stock

WHOLESALE PRICE LIST September 1942



| CONTENTS | Pages |
|--------------------------|----------|
| DECIDUOUS TREES | 2 to 12 |
| DECIDUOUS SHRUBS | 13 to 20 |
| BROADLEAF EVERGREENS | 21 to 30 |
| CAMELLIAS | 23 to 24 |
| CONIFERS | 31 to 36 |
| VINES | 37 to 38 |
| LINING OUT STOCK | 39 |
| PERENNIALS | 39 to 40 |
| ESPALIER FRUIT TREES | 41 to 42 |
| TREE AND SHRUB SEEDLINGS | 43 |
| FRUIT TREE SEEDLINGS | 43 |
| FRUIT AND NUT TREES | 44 to 46 |
| SMALL FRUITS | 47 |
| COMMON NAMES INDEX | 48 to 49 |

CONDITIONS OF SALE

PRICES given in this list are intended for wholesale trade only, and cancel all previous quotations. They are based on current conditions and therefore are subject to change without notice.

TERMS:

- 1. Cash with Order.
- 2. Half of amount remitted with order, balance C. O. D.
- 3. Charge Accounts. To firms whose credit has been established with us, strictly 60 days net from date of invoice. Interest may be charged at 6% thereafter. When opening a new account, time may be saved by forwarding bank and trade references.

PACKING at cost will be charged above prices quoted. Paper pots, when used, will be charged extra.

SHIPPING instructions are requested. Whenever possible we will pool smaller orders in carloads to near vicinity, thus saving on freight and boxing costs. Early placement of orders is essential in insuring accommodation in our pool cars.

CLAIMS or COMPLAINTS should be made within 10 days of receipt of shipment, and in the case of breakage, must be accompanied by a copy of the Report of Damage furnished by an inspector for the carrier at time of delivery of shipment.

DOTY AND DOERNER, Inc. 6691 S. W. Capitol Highway Portland, Oregon

Member:-

American Association of Nurserymen Oregon Association of Nurserymen California Association of Nurserymen

| DECIDUOUS TREES | , | |
|--|---------------------|------|
| | 10 | 100 |
| ACER dasycarpum (Silver Maple) | == | FO |
| 5- 6 ft | .55 | .50 |
| 8-10 ft | .75 | .70 |
| 10-12 ft | .90 | .85 |
| negundo (Box Elder) | | |
| 5- 6 ft | .55 | .50 |
| 8-10 ft | .80 | .75 |
| n. argenteo varieg. (Silver Varieg. | | |
| Box Elder) | 0.0 | |
| 5- 6 ft | .80 | .75 |
| palmatum (Redleaf Maple) See | | |
| Deciduous Shrubs for grafted varieties. | | |
| platanoides (Norway Maple) | | |
| 4- 5 ft. whips | .30 | .25 |
| 5- 6 ft. whips | .35 | .30 |
| 6- 7 ft. whips | .45 | .40 |
| 7- 8 ft. whips | .50 | .45 |
| 6- 8 ft. Br., Cal. 3/4-1 in | .80 | .75 |
| 8-10 ft. Br., Cal. 1-1 1/4 in | .90 | .85 |
| 8-10 ft. Br., Cal. 1 1/4-1 1/2 in | 1.10 | 1.00 |
| 10-12 ft. Br., Cal. 1 ½-1 ¾ in | 1.35 | 1.25 |
| p. schwedleri (Schwedler Maple) 4- 5 ft. whips | == | FO |
| 4- 5 ft. whips | .55 | .50 |
| 6- 7 ft. whips | .75 | .70 |
| 7- 8 ft. whips | .85 | .80 |
| 8- 9 ft. whips | 1.00 | .90 |
| pseudoplatanus (Sycamore Maple) | | |
| 5- 6 ft. branched | .75 | .70 |
| | .90 | .85 |
| rubrum (Red Maple) 4- 5 ft. whips | .45 | .40 |
| 5- 6 ft. whips | .55 | .50 |
| saccharum (Sugar Maple) | | |
| 4- 5 ft. whips | .50 | .45 |
| 5- 6 ft. whips | .60 | .55 |
| 5- 6 ft. branched | .80 | |
| 6- 8 ft. branched 8-10 ft. branched | $\frac{1.00}{1.25}$ | |
| | | |
| AMYGDALUS persica (Flowering Peach | 1) | |
| Pink, Red and White. 3-4 ft. branched | .25 | .20 |
| 4- 5 ft. branched | .30 | .25 |
| 5- 6 ft. branched | .40 | .35 |
| 6- 7 ft. branched | .45 | .40 |
| 5- 6 ft. 2 year | .55 | .50 |
| 6- 7 ft. 2 year | .70 | .65 |
| Weeping, Pink and Red. 3- 4 ft | .55 | .50 |
| 4- 5 ft | .65 | .60 |
| 5- 6 ft | .75 | .70 |

| BETULA alba (European White Birch) | 10 | 100 |
|---|----------------|---------------------|
| 4- 5 ft | .35 | .30 |
| 5- 6 ft | .45 | .40 |
| 6- 8 ft | .65 | .60 |
| 8-10 ft | .80 | .75 |
| 10-12 ft | 1.10 | 1.00 |
| 6-8 ft. heavy | .85 | .80 |
| 8-10 ft. heavy | 1.10 | 1.00 |
| 12-14 ft. heavy | $1.35 \\ 1.65$ | $\frac{1.25}{1.50}$ |
| | 1.00 | 1.50 |
| Clump Form | 7.0 | 0.5 |
| 5- 6 ft | .70 | .65 |
| 0- 0 11 | .00 | .13 |
| a. laciniata (Cutleaf Weeping Birch) | | |
| 3- 4 ft | .45 | .40 |
| 4- 5 ft | .55 | .50 |
| 5- 6 ft | .75 | .70 |
| 6- 7 ft | 1.00 | .90 |
| 7- 8 ft | 1.10 | 1.00 |
| 8- 9 ft | 1.25 | 1.15 |
| 9-10 ft | 1.35 | 1.25 |
| 10-12 ft | 1.65 | 1.50 |
| a. purpurea (Purpleleaf Birch) Sim- | | |
| ilar to White Birch except leaves | | |
| have purplish tinge. | | |
| 5- 6 ft | .75 | |
| 6- 7 ft | .90 | |
| | | |
| a. youngi (Young's Weeping Birch) | | |
| A grafted form with spreading | | |
| pendulous branches. Excellent for lawn specimens and pools. | | |
| | 1 10 | 1 00 |
| 5- 6 ft. stem, No. 1 head | 1.10 | 1.00 |
| | | |
| CATALPA bungei (Umbrella Catalpa) | | |
| 5- 6 ft. stem, No. 1 head | 1.35 | 1.25 |
| | | |
| speciosa (Western Catalpa) | e E | .60 |
| 5- 6 ft | .65 | .70 |
| 8-10 ft | .90 | .85 |
| 10-12 ft | | 1.00 |
| 10 12 10 | 1.10 | 2.00 |
| | | |
| CERASUS (Flowering Cherry) | | |
| (See Prunus) | | |
| | | |
| CERCIS canadensis (Redbud) Shrub or | | |
| tree with mass of deep pink flow- | | |
| ers early in spring. | | |
| 2- 3 ft | .45 | .40 |
| 3- 4 ft | .55 | .50 |
| 4- 5 ft | .65 | .60 |
| 5- 6 ft | .75 | .70 |
| | | |
| CLADRASTIS lutea (Yellowwood) A | | |
| tall growing ornamental tree, fra- | | |
| grant flowers in June. | | |
| 3- 4 ft | 1.00 | |
| 4- 5 ft | 1.25 | |
| 5- 6 ft | 1.50 | |

Add 25c each for B&B

| | PIP III | 13.11 |
|--|---------------------|---------------------|
| CORNUS florida (Eastern Dogwood) | 10 | 100 |
| 2- 3 ft | .55 | .50 |
| 3- 4 ft | .80 | .75 |
| 4- 5 ft | 1.10 | 1.00 |
| 5- 6 ft | 1.35 | 1.25 |
| 6- 7 ft | 2.00 | |
| Add 25c each for B&B | | |
| f. rubra (Pink Flowering Dogwood) | | |
| 24-30 in. bare root | 1.10 | 1.00 |
| 30-36 in. bare root | 1.35 | 1.25 |
| 3- 4 ft. bare root | $\frac{1.65}{1.90}$ | 1.50 1.75 |
| 4- 5 ft. B&B | 2.75 | 2.50 |
| | | |
| CORNUS nuttali (Pacific Dogwood) | 0.5 | 0.0 |
| 3- 4 ft | .65 | .60 |
| 4- 5 ft | .75 | .70 |
| 6- 8 ft | 1.10 | 1.00 |
| 8-10 ft | 1.35 | 1.00 |
| Add 25c each for B&B | 1.00 | |
| CRATAEGUS carrieri (Carrier Thorn) | | |
| 4- 5 ft. whips | .50 | .45 |
| 5- 6 ft. whips | .55 | .50 |
| 6- 7 ft. whips | .60 | .55 |
| cordata (Washington Thorn) | | |
| 3- 4 ft. whips | .45 | .40 |
| 4- 5 ft. whips | .50 | .45 |
| 5- 6 ft. whips | .55 | .50 |
| 6- 7 ft. whips | .60 | .55 |
| 4- 5 ft. branched | .75 | .70 |
| 5- 6 ft. branched | .85 | .80 |
| 6- 7 ft. branched | 1.00 | .90 |
| 7- 8 ft. branched | $\frac{1.10}{1.35}$ | $\frac{1.00}{1.25}$ |
| | 1.55 | 1.40 |
| oxyacantha (Hybrid Single White) 6- 7 ft. branched | 1.00 | .90 |
| 7- 8 ft. branched | 1.10 | 1.00 |
| 8-10 ft. branched | 1.35 | 1.25 |
| o. alba plena (Double White Thorn) | 2.00 | |
| 4- 5 ft. whips | .50 | .45 |
| 5- 6 ft. whips | .55 | .50 |
| 6- 7 ft. whips | .60 | .55 |
| o. rosea (Double Pink Hawthorn) | | |
| 4- 5 ft. whips | .50 | .45 |
| 5- 6 ft. whips | .55 | .50 |
| 6- 7 ft. whips | .60 | .55 |
| 7- 8 ft. whips | .65 | .60 |
| 5- 6 ft. branched | $\frac{.85}{1.00}$ | .90 |
| 7- 8 ft. branched | 1.10 | 1.00 |
| 8-10 ft. branched | 1.35 | 1.25 |
| o. splendens (Paul's Scarlet Haw- | 1.00 | 1.20 |
| thorn) | | |
| 3- 4 ft. whips | .45 | .40 |
| 4- 5 ft. whips | .50 | .45 |
| 5- 6 ft. whips | .55 | .50 |
| 6- 7 ft. whips | .60 | .55 |
| 7- 8 ft. whips | .65 | .60 |
| 4- 5 ft. branched | .75 | .70 |
| 5- 6 ft. branched | .85 | .80 |
| 6- 7 ft. branched | $\frac{1.00}{1.10}$ | 1.00 |
| 8-10 ft. branched | 1.35 | 1.25 |
| 10 10 64 1 | 1 05 | 1.50 |

| EDAVINIS langualata (Croon Ach) | 10 | 100 |
|---|--------------------|--------------------|
| FRAXINUS lanceolata (Green Ash) 8-10 ft | 10 | 100 |
| 10-12 ft | | .90 |
| | | |
| velutina glabra (Modesto Ash) 4- 5 ft | .55 | .50 |
| 5- 6 ft | .65 | .60 |
| | | |
| GINKGO biloba (Maidenhair-tree) | | |
| 2- 3 ft | .65 | .60 |
| 3- 4 ft | .80 | .75 |
| 4- 5 ft | 1.00 | .90 |
| | | |
| GLEDITSIA inermis (Thornless Honey | | |
| Locust) | | |
| 5- 6 ft | .55 | .50 $.60$ |
| 8-10 ft | .80 | .75 |
| | | |
| KOELREUTERIA paniculata (Golden- | | |
| rain-tree) Conspicuous orange- | | |
| yellow flowers. Excellent for dry city conditions. | | |
| 3- 4 ft. branched | .45 | .40 |
| 4- 5 ft. branched | .55 | .50 |
| 5- 6 ft. branched | .80 | .75 |
| 6- 8 ft. branched | 1.10 | 1.00 |
| TANYON | | |
| LABURNUM adami. An interesting hybrid Laburnum with dull purplish | | |
| flower clusters. | | |
| 6- 8 ft., 2 year | 1.10 | 1.00 |
| vossi. Golden yellow flowers which | | |
| hang in wisteria-like clusters to | | |
| as much as 18 inches in length. Profuse bloomer. | | |
| 4- 5 ft. whips | .65 | .60 |
| 5- 6 ft. whips | .75 | .70 |
| 3- 4 ft. branched | .75 | .70 |
| 4- 5 ft. branched | $\frac{.85}{1.00}$ | .80 |
| 5- 6 It. Branched | 1.00 | .50 |
| LIQUIDAMBAR styraciflua (Sweet | | |
| Gum) | | |
| 3- 4 ft. bare root | | .50 |
| 4- 5 ft. bare root | .65 | .60 $.75$ |
| 5- 6 ft. bare root | 1.10 | 1.00 |
| 3- 4 ft. B&B | .75 | .70 |
| 4- 5 ft. B&B | .85 | $\frac{.80}{1.00}$ |
| 5- 6 ft. B&B | 1.35 | 1.25 |
| | | |
| LIRIODENDRON tulipifera (Tuliptree |) | |
| A vigorous shade or street tree. | | |
| Yellowish tulip-like flowers. | .65 | .60 |
| 4- 5 ft | .75 | .70 |
| 6- 8 ft | .90 | .85 |
| 8-10 ft | 1.20 | |
| | | |

MAGNOLIAS

| MAGNOLIA alba superba. A rare va- | |
|--|---------------------|
| riety with waxy white flowers | |
| faintly tinged pink. | 10 |
| 15-18 in | 1.50 |
| 18-24 in | 1.75 |
| glauca (Sweetbay Magnolia) Ever- green tree with fragrant white flowers. | |
| 2-3 ft | $\frac{2.00}{2.25}$ |
| hypoleuca (Silver Magnolia) Fast growing deciduous Magnolia with leaves more than a foot long and with large white flowers 6 to 8 inches across, | |
| 5-6 ft | $\frac{2.50}{3.00}$ |
| kobus. Large growing tree with beautiful starry white flowers similar to stellata, before leaves appear. | |
| 2- 3 ft | 1.75 |
| liliflora. Large petaled, large flow- ered variety, similar in color to purpurea. | |
| 18-24 in | 1.75 |
| parviflora (Oyama Magnolia) Bushy tree to 12 ft. with fragrant white cup-shaped flowers, having ros- ette of crimson stamens in cen- ter. June. | |
| 18-24 in | |
| rustica rubra. Extremely large rosered flowers edged with white. | |
| 18-24 in | 1.75 |
| soulangeana (Saucer Magnolia) Large purplish pink flowers in early spring. | |
| 15-18 in | 1.50 |
| 18-24 in | 1.75 |
| 3- 4 ft | 3.00 |
| s. lennei (Lenne Magnolia) Deep crimson outside, creamy center; large. | |
| 3- 4 ft | 3.00 |
| s. nigra. Large flowers, wine red on the outside of petals, creamy white inside. | |
| 18-24 in | 1.75 |
| stellata (Star Magnolia) 9-12 in | 1.00 |
| 12-15 in | 1.25 |
| s. Waterlily. A new variety similar | |
| to stellata, with 4 to 6 inch flow- | |
| ers and 20 to 30 petals. Flowers open pink, fading to white. | |
| 12-15 in | 1.75 |
| 15-18 in | 2.00 |

FLOWERING CRABS

| MALUS ioensis plena (Bechtel Crab) Large double pink flowers; last to bloom. 10 2-3 ft. branched .30 3-4 ft. branched .40 4-5 ft. branched .55 5-6 ft. branched .70 6-8 ft. branched .90 | $\begin{array}{c} .35 \\ .50 \\ .65 \end{array}$ |
|--|---|
| arnoldiana (Arnold Crab) Dwarf bushy growth. Rose-colored flow- ers, fading lighter when older. 3-4 ft. | 10 100 .30 .25 |
| 4- 5 ft. 5- 6 ft. 6- 8 ft. | .35 .30 .40 .35 .50 .45 |
| atrosanguinea (Carmine Crab) Large deep rose-colored flowers. | |
| 3- 4 ft. 4- 5 ft. 5- 6 ft. 6- 8 ft. | .30 .25 .35 .30 .40 .35 .50 .45 |
| Eleyi Crab. Bright red flowers, red fruit and colored foliage through- out summer. | |
| 3- 4 ft. 4- 5 ft. 5- 6 ft. 6- 8 ft. 8-10 ft. | .30 .25 .35 .30 .40 .35 .50 .45 .70 .65 |
| floribunda (Japanese Flg. Crab) Pink buds, rosy white flowers. Small yellow fruits. | |
| 3- 4 ft. 4- 5 ft. 5- 6 ft. 6- 8 ft. | .30 .25 .35 .30 .40 .35 .50 .45 |
| f. purpurea (Purple Crab) Red blossoms. | |
| 3- 4 ft. 4- 5 ft. 5- 6 ft. 6- 8 ft. 8-10 ft. | $\begin{array}{cccc} .30 & .25 \\ .35 & .30 \\ .40 & .45 \\ .50 & .45 \\ .70 & .65 \end{array}$ |
| f. scheideckeri (Scheidecker Crab) Upright growing with large semi- double pink flowers, yellow fruits. | |
| 3- 4 ft. 4- 5 ft. 5- 6 ft. 6- 8 ft. | .30 .25 .35 .30 .40 .35 .50 .45 |
| halliana parkmani (Parkman Crab) Large clusters of semi-double car- | |
| mine flowers. 3- 4 ft | .40 .35 .55 .50 .70 .65 |

| MALUS—Continued. | | |
|--|--|---|
| Hopa Crab. Rose-colored flowers and bright red fruit. Blooms when | | |
| small and is one of the most strik- | | |
| ing of all the flowering crabs. | 10 | 100 |
| 3- 4 ft | .30 | .25 |
| 4- 5 ft | .35 | .30 |
| 5- 6 ft | .40 | .35 |
| 6-8 ft | .50 | .45 |
| 8-10 ft | .70 | .65 |
| micromalus (Kaido Crab) Dwarf, early. Showy pink flowers, red fruit | | |
| 3- 4 ft | $.40 \\ .55$ | .35 $.50$ |
| 4- 5 ft | .70 | .65 |
| | | .00 |
| niedzwetskyana (Redvein Crab) Leaves, flowers, fruit, bark and even wood are reddish purple. | | |
| 3- 4 ft | .30 | .25 |
| 4- 5 ft | .35 $.40$ | $.30 \\ .35$ |
| 5- 6 ft | .50 | .45 |
| sargenti (Sargent Crab) White flowers. | .00 | , 10 |
| 3- 4 ft | .30 | .25 |
| 4- 5 ft | .35 | .30 |
| theifera (Tea Crab) White flowers. | | |
| 3- 4 ft | .30 | .25 |
| 4- 5 ft | .35 | .30 |
| 5- 6 ft | .40 | .35 |
| MORUS alba pendula (Teas Weeping | | |
| Mulberry) | | |
| 5- 6 ft. stem, No. 1 head | 1 10 | |
| | 1.10 | 1.00 |
| | 1.10 | 1.00 |
| PLATANUS occidentalis (American | 1.10 | 1.00 |
| Planetree or Sycamore) | | |
| Planetree or Sycamore) 6-8 ft | .85 | .80 |
| Planetree or Sycamore) | | |
| Planetree or Sycamore) 6-8 ft | .85 1.00 | .80 |
| Planetree or Sycamore) 6- 8 ft | .85 1.00 | .80 |
| Planetree or Sycamore) 6-8 ft | .85 1.00 1.20 | .80 |
| Planetree or Sycamore) 6-8 ft | .85 1.00 1.20 | .80 .90 1.10 |
| Planetree or Sycamore) 6-8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5-6 ft. 6-8 ft. | .85 1.00 1.20 | .80 .90 1.10 |
| Planetree or Sycamore) 6- 8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5- 6 ft. 6- 8 ft. | .85 1.00 1.20 | .80 .90 1.10 |
| Planetree or Sycamore) 6-8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5-6 ft. 6-8 ft. POPULUS eugenei (Carolina Poplar) 6-8 ft. | .85 1.00 1.20 .75 .85 | .80 .90 1.10 |
| Planetree or Sycamore) 6-8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5-6 ft. 6-8 ft. POPULUS eugenei (Carolina Poplar) 6-8 ft. 8-10 ft. | .85 1.00 1.20 .75 .85 | .80 .90 1.10 |
| Planetree or Sycamore) 6- 8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5- 6 ft. 6- 8 ft. POPULUS eugenei (Carolina Poplar) 6- 8 ft. 8-10 ft. 10-12 ft. | .85 1.00 1.20 .75 .85 | .80 .90 1.10 |
| Planetree or Sycamore) 6-8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5-6 ft. 6-8 ft. POPULUS eugenei (Carolina Poplar) 6-8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) | .85 1.00 1.20 .75 .85 | .80 .90 1.10 .70 .80 |
| Planetree or Sycamore) 6-8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5-6 ft. 6-8 ft. POPULUS eugenei (Carolina Poplar) 6-8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) 5-6 ft. | .85 1.00 1.20 .75 .85 | .80 .90 1.10 .70 .80 .45 .55 .75 |
| Planetree or Sycamore) 6-8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5-6 ft. 6-8 ft. POPULUS eugenei (Carolina Poplar) 6-8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) | .85 1.00 1.20 .75 .85 | .80 .90 1.10 .70 .80 |
| Planetree or Sycamore) 6-8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5-6 ft. 6-8 ft. POPULUS eugenei (Carolina Poplar) 6-8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) 5-6 ft. 6-8 ft. | .85 1.00 1.20 .75 .85 | .80 .90 1.10 .70 .80 .45 .55 .75 |
| Planetree or Sycamore) 6- 8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5- 6 ft. 6- 8 ft. POPULUS eugenei (Carolina Poplar) 6- 8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) 5- 6 ft. 6- 8 ft. 8-10 ft. 10-12 ft. 10-12 ft. 10-12 ft. 11-14 ft. | $.85 \\ 1.00 \\ 1.20$ $.75 \\ .85$ $.50 \\ .60 \\ .80$ $.40 \\ .50 \\ .60 \\ .80$ 1.10 | .80 .90 1.10 .70 .80 .45 .55 .75 |
| Planetree or Sycamore) 6- 8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5- 6 ft. 6- 8 ft. POPULUS eugenei (Carolina Poplar) 6- 8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) 5- 6 ft. 6- 8 ft. 8-10 ft. 10-12 ft. 10-12 ft. 10-12 ft. 10-14 ft. 11-14 ft. 11-16 ft. | .85 1.00 1.20 .75 .85 .50 .60 .80 | .80 .90 1.10 .70 .80 .45 .55 .75 |
| Planetree or Sycamore) 6- 8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5- 6 ft. 6- 8 ft. POPULUS eugenei (Carolina Poplar) 6- 8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) 5- 6 ft. 6- 8 ft. 8-10 ft. 10-12 ft. 110-12 ft. | $.85 \\ 1.00 \\ 1.20$ $.75 \\ .85$ $.50 \\ .60 \\ .80$ $.40 \\ .50 \\ .60 \\ .80$ 1.10 | .80 .90 1.10 .70 .80 .45 .55 .75 |
| Planetree or Sycamore) 6- 8 ft. 8-10 ft. 10-12 ft. orientalis (European Sycamore) Similar to American but larger leaves. 5- 6 ft. 6- 8 ft. POPULUS eugenei (Carolina Poplar) 6- 8 ft. 8-10 ft. 10-12 ft. nigra italica (Lombardy Poplar) 5- 6 ft. 6- 8 ft. 8-10 ft. 10-12 ft. 10-12 ft. 11-12 ft. 11-14 ft. 11-14 ft. 11-16 ft. tremula pendula (Wpg. European | $.85 \\ 1.00 \\ 1.20$ $.75 \\ .85$ $.50 \\ .60 \\ .80$ $.40 \\ .50 \\ .60 \\ .80$ 1.10 | .80 .90 1.10 .70 .80 .45 .55 .75 |

FLOWERING PLUMS

| PRUNUS cerasifera bliriana. | |
|---|-------|
| Large double pink flowers. | |
| Foliage reddish purple in | |
| the spring, turning dull | |
| bronze-green in late summer. 10 | 100 |
| 4- 5 ft | .40 |
| 5- 6 ft | .50 |
| 6- 8 ft | .60 |
| 8-10 ft | .80 |
| 5- 6 ft. heavy grade75 | .70 |
| 6- 8 ft. heavy grade90 | .85 |
| 8-10 ft. heavy grade 1.20 | 1.10 |
| | |
| c. moseri. Single pink with dark | 100 |
| foliage. 10 | 100 |
| 3-4 ft | .30 |
| 4- 5 ft | .40 |
| 5- 6 ft | .50 |
| 6- 8 ft | .60 |
| c. Newport. Very hardy with reddish- | |
| purple foliage. | |
| 3- 4 ft | .30 |
| 4- 5 ft | .40 |
| 5- 6 ft | .50 |
| 6- 8 ft | .60 |
| Di-1- 61 d1- | |
| c. nigra. Pink flowers, very dark | |
| leaf. | |
| 6- 8 ft. heavy grade | .85 |
| 8-10 ft. heavy grade 1.20 | 1.10 |
| e. pissardi (Purpleleaf Plum) Single | |
| pink. | |
| | .30 |
| | .40 |
| 2 0 10 10 10 10 10 10 10 10 10 10 10 10 1 | .50 |
| 5- 6 ft | .60 |
| 8-10 ft | .80 |
| 5- 6 ft. heavy grade | .70 |
| 6- 8 ft. heavy grade90 | .85 |
| 8-10 ft. heavy grade 1.20 | 1.10 |
| | 1.10 |
| c. Thundercloud. Pink flowers, dark | |
| reddish purple foliage. | |
| 4- 5 ft | .40 |
| 5- 6 ft | .50 |
| 6- 8 ft | . 6 0 |
| c. Vesuvius (Deep Purpleleaf Plum) | |
| Pink flower, dark purple leaf. | |
| 4- 5 ft | .40 |
| 5- 6 ft | .50 |
| 6- 8 ft | .60 |
| | .50 |
| cistena. Hardy variety, dwarf type, | |
| purple leaf. | |
| 2- 3 ft | .36 |
| 3- 4 ft | .35 |
| triloba (Flowering Plum) Green | |
| leaf, dbl. rose-pink flower. | |
| 3- 4 ft | .35 |
| 4- 5 ft | .40 |

FLOWERING CHERRIES

KANZAN and NADEN SPECIMEN

We have a fine lot of these trees ranging from 8 to 12 years old, transplanted and headed back, filled with flower buds.

8-10 ft., 2-3 in. caliper... 3.00 10-12 ft., 3-4 in. caliper... 4.00

| ı | 10-12 ft., 5-4 fm. camper 4.00 | |
|---|--|--------------|
| 1 | PRUNUS serrulata (Upright Flowering | |
| ľ | Cherry) One of the best and most | |
| | popular of all flowering trees. We | |
| | have a fine selection from which | |
| | to choose. | 100 |
| | 3- 4 ft. whips | .45 |
| | 4- 5 ft. whips | .50 |
| | 5- 6 ft. whips | .55 |
| | 3- 4 ft. branched | .60 |
| | 4- 5 ft. branched | .70 |
| | 5- 6 ft. branched | .80 |
| | 6- 8 ft. branched | .90 |
| | VARIETIES | |
| | Amanogawa. Semi-double soft pink. | |
| | Upright growing. | |
| | Whips 3-4' 4-5' 5-6' | |
| | Branched 3-4' 4-5' 5-6' | 6-8' |
| | campanulata. Early single rose red. | 0.01 |
| | Whips 4-5' 5-6' Branched 5-6' | 6-8' 6-8' |
| | Kanzan. Finest of all double pinks. | 6-8 |
| | Whips $3-4'$ $4-5'$ $5-6'$ | |
| | Branched 3-4' 4-5' 5-6' | 6-8' |
| | Miyako. Semi-double pink. | 0-0 |
| | Whips 3-4' 4-5' 5-6' | |
| | Branched 3-4' 4-5' 5-6' | 6-8' |
| | Naden. Double light pink. | • • |
| | Whips 3-4' 4-5' 5-6' | |
| | Branched 3-4' 4-5' 5-6' | 6-8' |
| | Ojochin. Semi-double pale pink. | |
| | Whips 3-4' 4-5' 5-6' | |
| | Branched 4-5' 5-6' | 6-8' |
| | Shirofugen. Late double white, pink buds. | |
| | Whips 4-5' 5-6' | |
| | Branched 4-5' 5-6' | |
| | Shirotae (Mt. Fujii) Semi-double white. | |
| | Whips 3-4' 4-5' 5-6' Branched 3-4' 4-5' 5-6' | |
| | Branched 3-4' 4-5' 5-6' | 6-8' |
| | Shogetsu. Double. Deep pink bud, light | |
| | pink bloom. | |
| | Whips 3-4' 4-5' 5-6' | |
| | Branched 3-4' 4-5' 5-6' | 6-8' |
| | Takasago. Prunus sieboldi. Early double | |
| | light pink, free blooming, leaves brown. | |
| | Whips 3-4' 4-5' 5-6' | 2.61 |
| | Branched 4-5' 5-6' | 6-8' |
| | Ukon. Single creamy-yellow flowers, | |
| | tinged with pink. Whips 3-4' 4-5' 5-6' | |
| | D | |
| | Branched 3-4' 4-5' 5-6' Voshino Prupus vodeonsis Feater single | |
| | Yoshino. Prunus yedoensis. Early single | |

4-5'

4-5'

5-6'

5-6'

6-8'

pale pink. Whips

Branched

| PRUNUS serrulata pendula (Double | | |
|---|---------------------|---------------------|
| Pink Weeping Cherry) | 10 | 100 |
| 5- 6 ft. stem, No. 1 head | 1.35 | 1.25 |
| 5- 6 ft. stem, No. 2 head | 1.10 | 1.00 |
| subhirtella pendula (Single Pink Weeping Cherry) | | |
| 5- 6 ft. stem, No. 1 head 5- 6 ft. stem, No. 2 head | $\frac{1.35}{1.10}$ | $\frac{1.25}{1.00}$ |
| | **** | 1.00 |
| subhirtella pendula flore-pleno (Double Subhirtella Weeping Cherry) | | |
| 5- 6 ft. stem, No. 1 head | | 1.25 |
| 5- 6 ft. stem, No. 2 head | 1.10 | 1.00 |
| | | |
| QUERCUS coccinea (Scarlet Oak) | | |
| 5- 6 ft | $.65 \\ .80$ | .60 |
| 7- 8 ft | .90 | .85 |
| 8- 9 ft | 1.10 | 1.00 |
| 9-10 ft | 1.25 | 1.15 |
| palustris (Pin Oak) 5- 6 ft | .65 | .60 |
| 5- 6 ft | .80 | .75 |
| 7- 8 ft | .90 | .85 |
| 8- 9 ft | $\frac{1.10}{1.25}$ | $\frac{1.00}{1.15}$ |
| | 1,20 | 1.10 |
| phellos (Willow Oak) 5- 6 ft | .65 | .60 |
| 6- 7 ft | .80 | .75 |
| 7- 8 ft | .90 | .85 |
| 8- 9 ft | 1.10 | 1.00 |
| rubra (Red Oak) 5- 6 ft | .65 | .60 |
| 6- 7 ft | .80 | .75 |
| 7- 8 ft | .90 | .85 |
| 8- 9 ft | $\frac{1.10}{1.25}$ | $\frac{1.00}{1.15}$ |
| | 1.50 | 2,20 |
| DODINIA 1 | | |
| ROBINIA decaisneana (Idaho Locust) 4- 5 ft 1 year | .90 | .85 |
| 4- 5 ft., 1 year | 1.10 | 1.00 |
| 6- 7 ft., 1 year | 1.20 | 1.10 |
| hispida (Rose Acacia) | | |
| 5- 6 ft. stem, No. 1 head | 1.35 | 1.25 |
| macrophylla (Large flowered Rose Acacia) | | |
| 5- 6 ft. stem, No. 1 head | 1.35 | 1.25 |
| pseudoacacia (Black Locust) | | |
| 6- 8 ft | .55 | .50 |
| 8-10 ft | .65 | .60 |
| umbraculifera (Globe Locust) A thornless variety with dense head of deep green foliage. Excellent for parkway planting or specimen | | |
| trees. | 1 05 | 1.05 |
| No. 1 head | 1.35 | 1.25 |

| SALIX babylonica (Weeping Willow) 10 6- 8 ft | |
|--|--|
| 6- 8 ft | |
| | 100 |
| 0-10 16 | .60 |
| 10-12 ft 1.10 | 1.00 |
| matsudana tortuosa (Corkscrew | 1.00 |
| Willow) | |
| 5- 6 ft | |
| 6- 8 ft 1.00 | |
| | |
| SORBUS aucuparia (Mountain Ash) 10 1 | 00 |
| | 35 |
| 5- 6 ft. whips | 45 |
| | 55 |
| | $\begin{bmatrix} 5 \ 0 \\ 6 \ 0 \end{bmatrix}$ |
| | 75 |
| | 90 |
| | 10 |
| 12-14 ft. branched 1.50 1. | 35 |
| | |
| STYRAX japonica (Japanese Snowbell) | |
| Large shrub or small tree. Numer- | |
| ous white bell-like flowers in July. | |
| 4- 5 ft | |
| 5- 6 ft 1.00 | |
| 6- 8 ft 1.50 | |
| | |
| TILIA americana (American Linden) | |
| Large growing tree. One of the | |
| best for street planting. | = 0 |
| 5- 6 ft | $\frac{.70}{.85}$ |
| | .00 |
| cordata (Littleleaf Europeean Lin- den) Compact, low branched tree, | |
| probably superior to European | |
| Linden. | |
| 4- 5 ft | .60 |
| F 0 21 | .00 |
| 5- 6 ft | .70 |
| 6- 8 ft | |
| 6-8 ft | .70 |
| 6- 8 ft | .70 .85 |
| 6-8 ft | .70 .85 |
| 6- 8 ft | .70 .85 |
| 6- 8 ft | .70 .85 .60 .70 |
| 6- 8 ft | .70 .85 .60 .70 .45 .60 .75 |
| 6- 8 ft | .70 .85 .60 .70 |
| 6- 8 ft | .70 .85 .60 .70 .45 .60 .75 |

DECIDUOUS SHRUBS

| ACER palmatum atropurpureum (Bloodleaf Maple) Upright. | 10 | 100 |
|--|------|------|
| 18-24 in | 1.10 | 1.00 |
| 24-30 in | | 1.25 |
| p. atro. dissectum (Threadleaf Maple) Spreading. | | |
| 9-12 in | 1.10 | 1.00 |
| 12-18 in | 1.35 | 1.25 |
| AZALEA altaclarensis (Altaclare | | |
| Azalea) Copper-yellow flowers. | 0.0 | 0 = |
| 12-15 in. with buds | .90 | .85 |
| 15-18 in. with buds | 1.10 | 1.00 |
| 18-24 in. with buds | 1.45 | 1.30 |
| 24-30 in. with buds | 2.00 | 1.75 |
| 30-36 in. with buds | 2.75 | |
| 3-4 ft. with buds | 3.50 | |
| 4 ft. specimen | 5.00 | |
| calendulacea (Flame Azalea) | | |
| Bright orange-red. | | |
| 12-15 in | .85 | .75 |
| kaempferi (Torch Azalea) Brick-red. | | |
| 12-15 in | .85 | .75 |
| 15-18 in | | 1.00 |
| mollis (Chinese Azalea) Mixed | | |
| colors—salmon to orange tints. | | |
| 9-12 in. with buds | .65 | .60 |
| 12-15 in, with buds | .85 | .80 |
| 15-18 in, with buds | 1.00 | .90 |
| 18-24 in. with buds | 1.35 | 1.25 |
| 24-30 in. with buds | 2.00 | 1.75 |
| 30-36 in. with buds | 2.75 | |
| 3-4 ft. with buds | 3.50 | |
| 4 ft. specimen | 5.00 | |



AZALEA MOLLIS

| AZALEA—Continued | 10 | 100 |
|---|---------------------|---------------------|
| mucronulata | | |
| Early blooming, light violet flowers. | | |
| 12-15 in | .85 | .75 |
| 15-18 in | 1.10 | 1.00 |
| 18-24 in | 1.35 | 1.25 |
| occidentalis (Western Azalea) In- | | |
| tensely fragrant pink to white flowers. Native to Pacific Coast. | | |
| 15-18 in | 1.00 | .90 |
| 18-24 in | 1.35 | 1.25 |
| 24-30 in | $\frac{2.00}{2.75}$ | $\frac{1.75}{2.50}$ |
| schlippenbachi (Royal Azalea) Large pink flowers. Crimson and gold | | |
| fall foliage. | 1 10 | |
| 15-18 in | 1.10 | |
| vaseyi (Pinkshell Azalea) Dainty light pink. | 0.5 | 75 |
| | .85 | .75 |
| yedoensis (Yeddo Azalea) Single purplish pink flowers in great profusion. | | |
| 15-18 in | 1.10 | 1.00 |
| 10 10 111. | 1.10 | 1.00 |
| BERBERIS thunbergi (Common Bar- | | |
| berry) | | |
| 18-24 in | .30 | .25 |
| 24-30 in | .35 | .30 |
| 30-36 in | .40 | .35 |
| t. atropurpurea (Redleaf Barberry) | | |
| 18-24 in | .35 | .30 |
| 24-30 in | .40 | .35 |
| 30-36 in | .45 | .40 |
| BUDDLEIA (Butterfly Bush) | | |
| alternifolia. Lilac - purple flowers. | | |
| Charming. Deep rose pink flowers | | |
| throughout late summer and autumn. New. | | |
| davidi magnifica (Oxeye Buddleia) Large rose-purple flowers. | | |
| d. veitchiana (Veitch Buddleia) Mauve colored flowers. | | |
| lindleyana (Chinese Buddleia) A | | |
| small growing variety with pur- | | |
| plish violet flowers, and fine fo- | | |
| liage. | | |
| Medium grade | .40 | .35 |
| No. 1 grade | .45 | .40 |
| | | |
| CALYCANTHUS floridus (Sweetshrub) | | |
| Flowers dark reddish brown; does | | |
| well in shade. | 0.5 | 9.0 |
| 18-24 in | .35 | .30 |
| CARYOPTERIS incana (Blue Spirea) | | |
| A small growing shrub with | | |
| numerous showy blue flowers in | | |
| late summer. | | |
| 12-18 in | .30 | .25 |
| 18-24 in | .40 | .35 |
| | | |

| CEANOTHUS (Mountain Lilac) | 10 100 |
|--|---|
| dione as the second | .55 $.50$ |
| | .65 $.60$ |
| | .80 .75 |
| | .10 |
| Marie Simon, pink. | |
| | .55 .50 |
| | .65 .60 |
| | .80 .75 |
| 30-36 in | .10 |
| | |
| COTONEASTER horizontalis (Rock Cotoneaster) | |
| | .55 .50 |
| | .65 .60 |
| | .80 .75 |
| | .00 .90 |
| simonsi (Simons Cotoneaster) | |
| | .35 .30 |
| | .45 .40 |
| 3- 4 ft | .55 $.50$ |
| | |
| CYDONIA japonica (Flowering Quince) | |
| From cuttings. Colors named. | |
| | .40 .35 |
| _ = = = = = = = = = = = = = = = = = = = | .50 	 .45 $.65 	 .60$ |
| 5- 4 It | .00 |
| DEUTZIA gracilis (Slender Deutzia) | |
| | .35 .30 |
| | .45 .40 |
| gracilis rosea. | |
| | .45 .40 |
| lemoinei (Lemoine Deutzia) | |
| | .35 .30 |
| | .40 .35 |
| rosea (Rose Panicle Deutzia) | |
| | .35 .30 |
| 4- 5 ft | .40 .35 |
| | .45 .40 |
| scabra plena (Double Rose Deutzia) | |
| | .35 $.30$ |
| | 40 .35 |
| | .45 .40 |
| s. crenata (Fuzzy Deutzia) | 20 05 |
| | $ \begin{array}{ccc} .30 & .25 \\ .35 & .30 \end{array} $ |
| 3- 4 ft | .50 |
| 9 1 0 | .35 .30 |
| | 40 .35 |
| | 45 .40 |
| | |
| ENKIANTHUS campanulatus (Red- | |
| vein Enkianthus) | |
| 12-15 in 1. | .00 |
| | .25 |
| 18-24 in 1. | .50 |
| EUONYMUS yedoensis (Yeddo Euony- | |
| mus) Ornamental orange-scarlet | |
| fruit. | |
| 15-18 in | .35 .30 |
| 10.04 : | 40 .35 |
| | .50 |

| TWO CHANGE (Developed) | | |
|--|--------------|--------------|
| EXOCHORDA grandiflora (Pearlbush) A graceful shrub with delicate | | |
| pure white flowers. | 10 | 100 |
| 2- 3 ft | .40 | .35 |
| 3- 4 ft | .55 | .50 |
| 2 200 000000000000000000000000000000000 | | |
| FORSYTHIA suspensa (Weeping | | |
| Goldenbell) | | |
| s. fortunei (Fortune F.) | | |
| s. intermedia (Border F.) | | |
| s. inter. primulina (Primrose F.) | | |
| s. inter. spectabilis (Showy Border | | |
| F.) | | |
| viridissima (Greenstem F.) | . ~ | 0.0 |
| 2- 3 ft | $.35 \\ .40$ | $.30 \\ .35$ |
| 3- 4 ft | .45 | .40 |
| 5- 6 ft | .55 | |
| | ••• | ••• |
| HAMAMELIS vernalis (Vernal Witch- | | |
| hazel) | | |
| 30-36 in | .75 | |
| 3- 4 ft | 1.00 | |
| | | |
| HIBISCUS syriacus (Althea or Rose of | | |
| Sharon) | | |
| Boule de Feu. Double purplish red. | | |
| Jeanne d'Arc. Double pure white. | | |
| Paeoniflorus. Double purple. | | |
| Snowdrift. Showy single white | | |
| flowers. Semi-dwarf. | | 0.5 |
| 18-24 in | $.30 \\ .35$ | $.25 \\ .30$ |
| 3-4 ft | .40 | .35 |
| | | |
| HYDRANGEA arborescens grand. | | |
| (Snowhill Hydrangea) | | |
| 18-24 in | .35 | .30 |
| 2-3 ft | .40 | .35 |
| | | |
| hortensis (House Hydrangea) 10 |) | 100 |
| 1 year clumps | | .30 |
| 2 year clumps4 | | .40 |
| 3 year clumps | 5 | .50 |
| Add 15c each for B&B | | |
| | | |
| paniculata grandiflora (Peegee | | |
| Hydrangea) | | |
| Bush form. | | |
| 18-24 in | .35 $.40$ | $30 \\ .35$ |
| 2- 3 ft | .50 | .45 |
| Standards. | .00 | .10 |
| 3- 4 ft | .60 | .55 |
| 4- 5 ft | .70 | .65 |
| quercifolia (Oakleaf Hydrangea) | | |
| 18-24 in | .40 | |
| 2-3 ft | .50 | |

| WEDDYA | | |
|---|--------------|--------------|
| KERRIA japonica flore-pleno (Double Kerria) | 10 | 100 |
| 18-24 in | .30 | .25 |
| 2-3 ft | .35 | .30 |
| | | |
| KOLKWITZIA amabilis (Beautybush) A graceful shrub with greyish | | |
| green leaves and pink flowers. | | |
| 18-24 in | .40 | .35 |
| 2- 3 ft | .50 | .45 |
| 3- 4 ft | .60 | .55 |
| LONICERA tatarica alba (Tatarian | | |
| White Honeysuckle) | | |
| t. rosea (Tatarian Pink Honey- suckle) | | |
| fragrantissima (Fragrant Honey- | | |
| suckle) | | |
| 18-24 in | .30 | .25 |
| 2- 3 ft | .35 | .30 |
| MERATIA praecox (Winter sweet) | | |
| 15-18 in | .65 | |
| 18-24 in | .75 | |
| | | |
| PHILADELPHUS coronarius (Mock-orange) | | |
| 3-4 ft | .35 | .30 |
| 4-5 ft | .40 | .35 |
| c. virginal. Double, fragrant. | | |
| 18-24 in | $.30 \\ .35$ | $.25 \\ .30$ |
| 2-3 ft | .45 | .40 |
| grandiflorus (Big Scentless Mock- | | |
| orange) | | |
| 3-4 ft | .35 $.40$ | $.30 \\ .35$ |
| Mont Blanc. Large single white. | . 10 | .00 |
| 2-3 ft | .40 | .35 |
| 3-4 ft | .45 | .40 |
| PHOTINIA villosa | | |
| 2-3 ft | .30 | |
| 3-4 ft | .40 | |
| 4-5 ft | .50 | |
| PRUNUS glandulosa (Flowering | | |
| Almond) Pink or White. | | |
| 18-24 in | .25 | .20 |
| 2-3 ft | $.30 \\ .35$ | $.25 \\ .30$ |
| 3-4 ft | .50 | .50 |
| RHUS cotinus (Smoke Tree) | | |
| 18-24 in | .40 | .35 |
| 2-3 ft | .50 $.60$ | .45 |
| 4-5 ft | .75 | .00 |
| | | |
| SORBARIA sorbifolia (Ural False Spirea) Large panicle blooms of | | |
| Spirea) Large panicle blooms of white in summer, | | |
| 3-4 ft | .40 | .35 |
| 4-5 ft | .45 | .40 |

| SPIRAEA Anthony Waterer (Anthony | | |
|--|--------------|-----|
| Waterer Spirea) Crimson flowers. | 10 | 100 |
| 2-3 ft | .45 | .40 |
| 3-4 ft | .55 | .50 |
| (Dailelennesth) Death | | |
| prunifolia (Bridalwreath) Double white flowers, and colored fall | | |
| foliage. | | |
| 18-24 in | .45 | .40 |
| 10-24 III | . T 9 | .10 |
| reevesiana (Reeves Spirea) Tall | | |
| with dark narrow foliage and | | |
| single white flowers. | | |
| 18-24 in | .30 | .25 |
| 2-3 ft | .35 | .30 |
| About house (Thousehouse Contrary) XI | | |
| thunbergi (Thunberg Spirea) Very early, single white flowers. | | |
| • , • • | 0.0 | 0.5 |
| 18-24 in | $.30 \\ .35$ | .25 |
| 2-5 It | .50 | .50 |
| vanhouttei (Vanhoutte Spirea) Tall, | | |
| graceful, free-blooming; white | | |
| flowers. | | |
| 2-3 ft | .30 | .25 |
| 3-4 ft | .35 | .30 |
| 4-5 ft | .40 | .35 |
| | | |
| SYMPHORICARPOS chenaulti (Im- | | |
| proved Coralberry) | | |
| racemosus (Snowberry) | | |
| vulgaris (Coralberry) | | |
| • / | 0.5 | 0.0 |
| 2-3 ft | .35 | .30 |
| 3-4 ft | .40 | .35 |



LILACS

100 .50 .60

.40 .50

.35 .40 .50

.30 .35 .45

.25

.30

.35

.40

LILACS

| SYRINGA josikaea (Hungarian Lilac) | |
|---|-------------------|
| Late blooming, deep reddish violet flowers. | 1.0 |
| | 10 |
| 2-3 ft | .65 |
| 4-5 ft | .75 |
| persica (Persian Lilac) | . 10 |
| 2-3 ft | .45 |
| 3-4 ft | .55 |
| | .00 |
| villosa (Late Lilac) 18-24 in | 4.0 |
| 2-3 ft | .40 |
| 3-4 ft | .55 |
| | |
| vulgaris (Common Purple Lilac) 18-24 in | 25 |
| 2-3 ft | .35 |
| 3-4 ft | .50 |
| | .00 |
| v. alba (Common White Lilac) | 0.5 |
| 18-24 in | .35 |
| 2-0 It | .10 |
| NAMED HYBRIDS | |
| Abel Carrier, D. cobalt blue. | |
| Belle de Nancy, S. pink, white center. | |
| Buffon, S. mauve pink. | |
| Capt. Baltet, S. lilac mauve. | |
| Chas. Sargent, D. lavender. Chas. X, S. reddish-purple. | |
| Condorset, D. blue. | |
| Edw. Andre, D. pink. | |
| Hugo Koster, S. mauve. | |
| Kath. Havemeyer, D. pinkish lavende | r. |
| Lamarck, D. purplish lilac. | |
| Le Printemps, D. purplish lilac. | |
| Ludwig Spaeth, S. dark purple. | |
| Marie Legraye, S. white. | |
| Michael Buchner, D. lavender. | |
| Mme. Casimir Perier, D. white. | |
| Mme. Lemoine, D. creamy white. | |
| Proc Grovy D blue | |
| Pres. Grevy, D. blue. Rhum von Horstenstein S carmine | |
| Rhum von Horstenstein, S. carmine. | |
| Rhum von Horstenstein, S. carmine. Wm. Robinson, D. purplish red. | 25 |
| Rhum von Horstenstein, S. carmine. Wm. Robinson, D. purplish red. 12-18 in | .35 |
| Rhum von Horstenstein, S. carmine. Wm. Robinson, D. purplish red. | .35 .45 .55 |
| Rhum von Horstenstein, S. carmine. Wm. Robinson, D. purplish red. 12-18 in. 18-24 in. 2-3 ft. | .45 |
| Rhum von Horstenstein, S. carmine. Wm. Robinson, D. purplish red. 12-18 in | .45 .55 |
| Rhum von Horstenstein, S. carmine. Wm. Robinson, D. purplish red. 12-18 in. 18-24 in. 2-3 ft. | .45 .55 |
| Rhum von Horstenstein, S. carmine. Wm. Robinson, D. purplish red. 12-18 in. 18-24 in. 2-3 ft. 3-4 ft. | .45 .55 |

| VIBURNUM burkwoodi—See page 30. | |
|--|-----------------------|
| carlesi (Fragrant Viburnum) Pink | |
| buds, fragrant white flowers. 10 | 100 |
| 9-12 in | $.60 \\ .75$ |
| 12-15 in | .13 |
| 18-24 in 1.20 | 1.10 |
| 24-30 in 1.50 | 1.35 |
| lantana (Wayfaring Tree) Red ber- | |
| ries, turning black in winter. Bril- | |
| liant red fall foliage. 2-3 ft | .30 |
| 3-4 ft | .40 |
| opulus (Highbush Cranberry) Foli- | |
| age similar to Snowball, but bear- | |
| ing clusters of red berries that last most of winter. | |
| 18-24 in | .30 |
| 2-3 ft | .35 |
| o. sterile (Common Snowball) | |
| 18-24 in | .30 |
| 2-3 ft | .40 |
| 3-4 ft | .50 |
| plicatum (Japanese Snowball) 18-24 in | .40 |
| 10-24 III | , 40 |
| WEIGELA Eva Rathke (Weigela, red) | |
| 18-24 in | .30 |
| 2-3 ft | .35 |
| rosea (Pink Weigela) | 0.5 |
| 18-24 in | .35 $.30$ |
| 3-4 ft | |
| 4-5 ft | .40 |
| r. variegata (Variegated Pink W.) | |
| 18-24 in | |
| 2-0 16 | .00 |
| HEDGE DI AMEG | |
| HEDGE PLANTS | |
| LIGUSTRUM ibota regelianum | |
| (Regels Privet) 10 12-18 in | $\frac{100}{.20}$ |
| 18-24 in | |
| 24-30 in | |
| 30-36 in | |
| lodense. Of dwarf growth. Per | $	ext{Per} 1000$ |
| 2-year, 6-8 in\$8.00 | \$70.00 |
| 2-year, 8-10 in 9.00 | 80.00 |
| 2-year, 10-12 in 10.00 | |
| 2-year, 12-15 in 12.00 ovalifolium (California Privet) | |
| ovalifolium (California Privet) 1-year, 12-18 in 4.00 | 35.00 |
| 1-year, 18-24 in 4.50 | 40.00 |
| 2-year, 18-24 in 5.50 | 50.00 |
| 2-year, 2- 3 ft 6.50 vulgare (English Privet) | 60.00 |
| 1-year, 12-15 in 4.00 | 35.00 |
| 1-year, 15-18 in 4.50 | 40.00 |
| 2-year, 18-24 in 5.50 | $\frac{50.00}{60.00}$ |
| 2-year, 2- 3 ft 6.50 | 00.00 |

BROADLEAF EVERGREENS ABELIA grandiflora 10 100 .45 .50.60 .55 .75 .70 ARBUTUS unedo (Strawberry Tree) 24-30 in. 1.10 1.35 ARCTOSTAPHYLOS uva-ursi (Bearberry) A dwarf creeper for ground cover or rockery. Red berries. $2\frac{1}{2}$ in. pots, 1 yr..... .20 .15 AUCUBA japonica. Green .60 .55 12-15 in. .70 .65 .80 1.00 japonica variegata .50 .70 .65 .90 .85 24-30 in. 1.25 1.15 AZALEA amoena. Purple-magenta flowers. .30 .35 .40 .45 1.00 1.25 hinodegiri (Hinodegiri Azalea) .35 .30 .40 .45 .60 .55 .80 .75 1.00 ledifolia alba perfecta. A compact growing variety of Snow Azalea. .50 .55 macrantha. Deep pink flowers. .40 .30 .45 .40 .60 .55 Purple Gem. Large royal-purple flowers. .40 .60 .55 .80 10-12 in. .75 1.00 BERBERIS darwini (Darwin Barberry)

 $.70 \\ .85$

| BUXUS sempervirens (Common Box) | | |
|--|-----------|------|
| Unsheared. | 10 | 100 |
| 9-12 in | .30 | .25 |
| 12-15 in | .40 | .35 |
| 15-18 in | .50 | .45 |
| 18-24 in | .80 | .75 |
| 24-30 in | 1.10 | 1.00 |
| s. rotundifolia (Roundleaf Box) | | |
| 9-12 in | .30 | .25 |
| 12-15 in | .40 | .35 |
| 15-18 in | .50 | .45 |
| 18-24 in | .80 | .75 |
| 24-30 in | 1.10 | 1.00 |
| 30-36 in | 1.50 | |
| s. suffruticosa (Dwarf Box) | | |
| 3- 4 in. bare root | .15 | .10 |
| 4- 5 in. bare root | .20 | .15 |
| 5- 6 in. bare root | .25 | .20 |
| 6- 8 in. bare root | .30 | .25 |
| 8-10 in. bare root | .35 | .30 |
| 8-10 in. B&B | .50 | |
| 10-12 in. B&B | .65 | |
| | | |
| CALLUNA vulgaris aurea (Goldleaf | | |
| Scotch Heather) | | |
| 6- 9 in | .30 | |
| 9-12 in | .40 | |
| v. hammondi (Tall White Scotch Heather) | | |
| | 2.0 | |
| 6- 9 in | .30 $.40$ | |
| 9-12 in | .40 | |
| v. rubra (Red Scotch Heather) | | |
| 4- 6 in | .25 | .20 |
| 6- 9 in | .30 | .25 |
| 9-12 in | .40 | .35 |
| 12-15 in | .50 | .45 |



(See also Erica and Daboecia)


15-18 in. .

.60

.55

STORAGE HOUSE AT D & D NURSERY

CAMELLIAS



CAMELLIA CHANDLERI ELEGANS

One of the best money-makers in the nurgery industry of today is the Camellia. Lining out stocks carried along for one to two seasons bring big returns in a ready market. D. & D. Camellia liners cover a wide range of varieties, properly grown and properly shipped.

A separate list of grafts and cutting grown plants is sent out each year in September and April, with descriptions and prices. Send for this special list if not already received. Available this season are the following:

Akebono Pink Akebono Variegated Alba Fimbriata Alba Plena Alba Superba Amabilis White Anita Anne Lindberg Appleblossom Arajishi Auguste Delfosse Aunt Jetty Bella Romana Bessie McArthur Biho White Cameo Pink Candida Elegantissima Candidissima Carlotta Grissi Chandleri Elegans Cheerful Christmas Cheer Claudia Lea

C. M. Hovey Coletti Maculata Colonel Firey Compte de Gomer Daikagura Daikagura Red Derbyana Duc de Bretagne Duc d'Orleans Duchess de Cases Duchess of Sutherland Ecstasy Eleanor Franchetti Elena Nobile Ella Drayton Emperor of Russia Empress of India Fanny Bolis Finlandia Flame Francine Gen. Washington Goshoguruma



CAMELLIA HERME

Gov. Mouton Grandiflora Alba Grandiflora Rosea Guilfolius Hallena Gunelli Pink H. A. Downing Herme Il Cygno Il Tremento Imperator Imura Jarvis Red Judith Julia Drayton Kagiri Kasuga Shibori Kellingtonia Kikutogi Kumasaka Lady Campbell Lady Darby Lady Humes Blush Lady Vansittart Leana Superba Lucida Magnoliaflora White Maraschino Marchioness of Exeter Marchioness of Salisbury Matsukasa Mikenjaku Mme. Leboise Monarch Monjisu Red Monjisu Variegated Montironi Mrs. Chas. Cobb Mrs. Francis Saunders

Mrs. H. B. Streeter Mrs. William Thompson Otome White Panache Pink Ball Pink Perfection Pink Star Princess Bacciochi Prof. C. S. Sargent Purity Queen Bessie Quincy White Red Star Regina des Giantes Reine des Fleurs Rev. John Bennett Rosea Superba Rouge Salmon Queen Sarah C. Hastie Sarah Frost Sasangua Semi-Dbl. Blush St. Andre Stardust Suibijine Sweeti Vera Te Deum Tokayama Valtavareda Variabilis Victor Emanuel Wakanoura Red Wakanoura Variegated Waratah White Herme William Penn Wm. S. Hastie

| CHOISYA ternata (Mexican Orange) | 10 | 100 |
|--|--------------|------|
| 9-12 in | .45 | .40 |
| 12-15 in | .55 | .50 |
| 15-18 in | .65 | .60 |
| 18-24 in | .80 | .75 |
| 24-30 in | 1.00 | |
| | | |
| COTONEASTER francheti (Franchet | | |
| Cotoneaster) | | |
| 18-24 in | .55 | .50 |
| 2-3 ft | .65 | .60 |
| 3-4 ft | .75 | .70 |
| 4-5 ft | 1.00 | .90 |
| humifusa—Dwarf, creeping, branch- | | |
| es rooting. Ideal for rockery or | | |
| groundcover; red berries. | | |
| 2 ½ in. pots | .25 | .20 |
| microphylla (Rockspray) | | |
| 15-18 in | .55 | .50 |
| 18-24 in | .65 | .60 |
| | | |
| m. glacialis. A trailing variety with small glossy leaves and dark red | | |
| berries. | | |
| 12-15 in | .50 | |
| 15-18 in | .60 | |
| 18-24 in | .75 | |
| | | |
| parnayi. One of the best and hard- | | |
| iest of evergreen Cotoneasters. | | |
| Foliage dark green; flowers white followed by clusters of brilliant | | |
| red berries. | | |
| 12-18 in | .55 | .50 |
| 18-24 in | .75 | .7(|
| 2-3 ft | 1.00 | .90 |
| 3-4 ft | 1.25 | 1.18 |
| salicifolia (Willowleaf Cotone- | | |
| aster) | | |
| 18-24 in | .65 | .60 |
| 2-3 ft | .75 | .70 |
| | | |
| CYTISUS alba (White Broom) Up- | | |
| right. | | |
| 12-18 in | .45 | .40 |
| 18-24 in | .55 | .50 |
| 2-3 ft | .65 | .60 |
| | | |
| andreanus (Paradise Broom) Yel- low flowers with crimson wings. | | |
| 12-18 in | .45 | .40 |
| 18-24 in | .55 | .50 |
| 3-4 ft | .80 | .7 |
| | | |
| dallimorei. Yellow flowers tinted with pink. Dwarf and compact. | | |
| 12-15 in | .50 | |
| | .00 | |
| praecox (Warminster Broom) Pale | | |
| yellow, early. | | - |
| 12-18 in | .55 | .50 |
| 18-24 in | $.65 \\ .80$ | .7 |
| 2-3 ft | .80 | . (|
| purgans (Provence Broom) Dwarf | | |
| yellow. | | |
| 9-12 in | .45 | .4 |

| CYTISUS—continued | 10 | 100 |
|--|---------------------|---------------------|
| HYBRID BROOMS | | |
| | | |
| Burkwoodi—Deep red. 12-15 in | .50 | |
| Lord Lambourne—Red and buff. | | |
| 18-24 in | .50 | |
| 2-3 ft | .60 | |
| Maria Burkwood—Spreading habit. Dark red background with cream and light red on face. | | |
| 18-24 in | .50 | |
| 24-30 in | .60 | |
| Newreyensis—Mahogany and creamy yellow. | | |
| 12-18 in | .40 | |
| 18-24 in | $.50 \\ .60$ | |
| 2-3 ft | | |
| Pomona—Tall, Dark and light orange and yellow. | e | |
| 12-18 in | .40 | |
| 18-24 in | .50 | |
| 24-30 in | .60 | |
| St. Marys—Pure white. | | |
| 12-18 in | .40 $.50$ | |
| 24-30 in | .60 | |
| DABOECIA polifolia (Irish Bell Heather) 6-9 in | .30 .40 | .25 |
| DAPHNE cneorum (Rock Daphne) | | |
| 4- 6 in | .45 | .40 |
| 6- 9 in | .65 | .60 |
| 9-12 in | $\frac{.90}{1.25}$ | .85 |
| 15-18 in | 1.50 | |
| | | |
| odora (Winter Daphne) 6- 9 in | .45 | .40 |
| 9-12 in | .65 | .60 |
| 12-15 in | 1.00 | .90 |
| 15-18 in | 1.25 | 1.15 |
| 18-24 in | $\frac{1.65}{2.50}$ | $\frac{1.50}{2.25}$ |
| 21 00 m | 2.00 | 2.20 |
| ERICA mediterranea hybrida (Med. Hybrid Heather) | | |
| stricta (Corsican Heather) Upright pink lavender. | | |
| vagans alba (White Cornish Heather) | | |
| v. rosea (Pink Cornish Heather) | | |
| 4- 6 in | .25 | .20 |
| 6- 9 in | .30 | .25 |
| 9-12 in | .40 | .35 |
| 12-15 in | .50 | .45 |
| 15-18 in | .60 | .55 |
| (See also Danoecia and Calluna) | | |

| ESCALLONIA glasnevinensis (Apple- | | |
|---|-----------|--------------|
| blossom Escallonia) A hardy | | |
| dwarfish variety with beautiful | | |
| blush-pink flowers. | 10 | 100 |
| 18-24 in | .65 | .60 |
| 2-3 ft | .80 | .75 |
| rubra—Red. | | |
| 15-18 in | .65 | .60 |
| | | |
| EUONYMUS japonicus (Evergreen | | |
| Burningbush) | | |
| 12-15 in | .45 | .40 |
| 15-18 in | .55 | .50 |
| 18-24 in | .65 | .60 |
| j. aureovariegatus (Goldspot Burningbush) | | |
| 9-12 in | .40 | .35 |
| 12-15 in | .50 | .45 |
| 15-18 in | .65 | .60 |
| | | |
| radicans argenteo-marginatus (Silveredge Wintercreeper) | | |
| 9-12 in | .40 | |
| 12-15 in | .50 | |
| 12-13 III | .50 | |
| GENERAL I | | |
| GENISTA hispanica (Spanish Broom) | . ~ | 2.0 |
| 2-3 ft | .65 | .60 |
| | | |
| HEDERA conglomerata (Bunchleaf | | |
| Ivy) Dwarf shrubby vine; dark | | |
| green foliage. Excellent for pots | | |
| or rockeries. | 4.0 | 0.0 |
| 2 in. pots | .10 | .08 |
| 6- 8 in. 3 year | .35 $.40$ | $.30 \\ .35$ |
| 15-18 in. 5 year | .75 | .00 |
| 10 10 In. o year | | |
| ILEX aquifolium (English Holly) | | |
| 18-24 in | 1.25 | |
| 24-30 in | 1.50 | |
| 30-36 in | 2.00 | |
| 3-4 ft | 2.75 | |
| 4-5 ft | 4.00 | |
| a. variegata (Silver Variegated | | |
| Holly) 24-30 in | 2.25 | |
| 30-36 in | | |
| 3-4 ft | 3.50 | |
| | | |
| crenata (Japanese Holly) Small leaf resembling Boxwood; black ber- | | |
| ries. Does well in shade. | | |
| 15-18 in | .90 | .85 |
| 18-24 in | 1.10 | 1.00 |
| 24-30 in | 1.35 | 1.25 |
| pernyi (Perny Holly) Holly native | | |
| to China with small dark green | | |
| leaves and quantities of red ber- | | |
| ries. | | |
| 12-18 in. 3 and 4 year 4" pots. | .55 | .50 |
| 12-18 in. 4 and 5 year 5" pots. | .65 | .60 |
| 15-18 in. B&B | .75 | |
| 18-24 in. B&B | 1.00 | |
| | | |

| KALMIA latifolia (Mountain Laurel) | 10 | 100 |
|------------------------------------|---|--------------------|
| 12-15 in | 1.35 | 1.25 |
| 15-18 in | 1.65 | 1.50 |
| 18-24 in | 2.00 | |
| 24-30 in | 2.50 | |
| 30-36 in | 3.25 | |
| LAUROCERASUS lusitanica (Portugal | | |
| Laurel) | | |
| 15-18 in | .65 | .60 |
| 18-24 in | $\frac{.85}{1.10}$ | $\frac{.80}{1.00}$ |
| 24-30 in | 1.65 | 1.50 |
| 3-4 ft | 2.25 | 1.00 |
| 4-5 ft | 3.25 | |
| officinalis (English Laurel) | | |
| 12-18 in | .40 | .35 |
| 18-24 in | .55 | .50 |
| 24-30 in | .75 | $.70 \\ .90$ |
| 30-36 in | $\frac{1.00}{1.35}$ | .90 |
| 0-1 It | 1.00 | |
| LIGUSTRUM japonica (Japanese | | |
| Privet) | .35 | .30 |
| 18-24 in | .45 | .40 |
| lucidum (Glossy Privet) | . 10 | .10 |
| 15-18 in | .55 | .50 |
| 18-24 in | .65 | .60 |
| 24-30 in | .80 | .75 |
| 30-36 in | 1.00 | |
| 3-4 ft | 1.35 | |
| ovalifolium aureum (Golden Cali- | | |
| fornia Privet) 18-24 in | .50 | .45 |
| 24-30 in | .60 | .55 |
| 30-36 in | .70 | .65 |
| 3-4 ft | .80 | |
| LIGUSTRUM | | |
| (See also "Hedge Plants") | | |
| LONICERA nitida (Evergreen Bush | | |
| Honeysuckle) | 4.5 | 4.0 |
| 15-18 in | $\begin{array}{c} .45 \\ .60 \end{array}$ | .40 |
| 24-30 in | .75 | .70 |
| 30-36 in | .90 | .85 |
| pileata (Privet Honeysuckle) | | |
| 12-15 in | .45 | .40 |
| 15-18 in | .55 | .50 |
| MAHONIA aquifolium (Oregon Holly- | | |
| grape) | | |
| 12-15 in | | .60 |
| 15-18 in | .80 | .75 |
| 18-24 in | 1.00 | .90 |
| NANDINA domestica (Nandina) | | |
| 15-18 in | .65 | .60 |
| 18-24 in | .80 | .75 |
| 24-30 in | | .90 |
| 30-36 in | 1.25 | |

| OSMANTHUS ilicifolius (Hollyleaf Os- | | |
|--|--------------------|------------|
| manthus) Large growing shrub with holly-like foliage and white | | |
| flowers. | 10 | 100 |
| 12-15 in | .85 | |
| 15-18 in | 1.00 | |
| PERNETTYA mucronata (Pernettya) Red | | |
| 9-12 in | .60 | |
| 12-15 in | .75 | |
| PHOTINIA serrulata (Photinia) | 0.0 | ~~ |
| 18-24 in | $\frac{.80}{1.10}$ | 1.00 |
| 24-50 III | 1.10 | 1.00 |
| PIERIS japonica (Andromeda) | | |
| 6- 9 in | .40 | .35 |
| 9-12 in | .65 $.90$ | .60 |
| 15-18 in | 1.10 | 1.00 |
| PYRACANTHA coccinea (Scarlet Fire- | | |
| thorn) | | |
| 18-24 in | .75 | .70 |
| 2-3 ft | .90 | .85 |
| 3-4 ft | 1.10 | 1.00 |
| lalandi (Laland Firethorn) | 0.5 | |
| 18-24 in | .65 $.80$ | .60 |
| 30-36 in | 1.00 | .90 |
| 3-4 ft | 1.25 | 1.15 |
| 4-5 ft | 1.50 | 1.40 |
| 5-6 ft | 2.00 | 1.75 |
| yunnanensis (Yunnan Firethorn) | | |
| 18-24 in | $.75 \\ .90$ | .70 .85 |
| RHODODENDRON | | |
| Named varieties with buds, from grafts. | | |
| 18-24 in | 3.25 | |
| 24-30 in | 3.50 | |
| 30-36 in | 4.25 | |
| 3-4 ft | 5.50 | |
| 4-5 ft | 6.50 | |
| Variety list mailed upon request. | | |
| ferrugineum (Rock Rhododendron) | | |
| Dwarf, spreading growth. Carmine flowers. | | |
| 6-9 in | .75 | |
| praecox. Dwarf. Rose-purple flow- | | |
| ers. | | |
| 9-12 in | .75 | |
| CHIMMIA ionories Male and | 0 | 100 |
| 0.1 | oh o | 100 |

| SKIMMIA japonic | a. Male and | 10 | 100 |
|----------------------|-------------|---------------------|--|
| Female. | | each | each |
| 12-15 in 15-18 in | | $\frac{1.10}{1.35}$ | $ \begin{array}{r} .85 \\ 1.00 \\ 1.25 \\ 1.50 \end{array} $ |

| STRANVAESIA davidiana undulata. Graceful shrub with colored fo- liage in spring and fall; red ber- | | |
|--|------|------|
| ries. | 10 | 100 |
| 18-24 in | .80 | |
| 2-3 ft | 1.00 | |
| VIBURNUM burkwoodi (Burkwood Viburnum) An evergreen carlesi. 18-24 in | | |
| davidi (David Viburnum) Dwarf . | | |
| White flowers, blue berries. | | |
| 9-12 in | .90 | .85 |
| 12-15 in | 1.25 | 1.10 |



VIBURNUM RHYTIDOPHYLLUM

| rhytidophyllum (Leather-leaf Viburnum) | | |
|---|------|-----|
| 2-3 ft | 1.00 | |
| 3-4 ft | 1.25 | |
| tinus (Laurustinus) | | |
| 15-18 in | .65 | .60 |
| 18-24 in | .80 | .75 |
| odoratissimum (Sweet Viburnum) | | |
| 24-30 in | 1.10 | |
| 30-36 in | 1.65 | |

CONIFERS

| A DIPO | | |
|--|-------------|------|
| ABIES concolor (White Fir) | 10 | 100 |
| 12-18 in | 1.00 | |
| 18-24 in | 1.25 | |
| 2-3 ft | 1.50 | |
| CEDRUS atlantica glauca (Blue | | |
| Atlantic Cedar) | | |
| 5-6 ft | 3.00 | |
| deodara (Deodar Cedar) | | |
| 24-30 in | 1.10 | 1.00 |
| 30-36 in | 1.35 | 1.25 |
| 3-4 ft | 1.65 | 1.50 |
| deodara aurea (Golden Deodar) | | |
| 3-4 ft | 2.00 | |
| 4-5 ft | 2.50 | |
| deodara pendula (Wpg. Deodar) | | |
| 2-3 ft | 2.50 | |
| 3-4 ft | 3.00 | |
| CHAMAECYPARIS laws. alumi (Blue | | |
| Lawson or Scarab Cypress) | | |
| 24-30 in | .90 | .85 |
| 30-36 in | 1.20 | 1.10 |
| laws. erecta viridis (Green Column Cypress) | | |
| 24-30 in | .90 | .85 |
| 30-36 in | 1.20 | 1.10 |
| laws. fletcheri | | |
| 12-15 in | .60 | |
| 15-18 in | .75 | |
| 18-24 in | 1.00 | |
| laws. nestoides (Birdnest Cypress) | | |
| 10-12 in | .90 | .85 |
| 12-15 in | 1.10 | 1.00 |
| 15-18 in | 1.25 | 1.15 |
| laws. wisseli (Wissel Cypress) | | |
| 12-18 in | .80 | .75 |
| 18-24 in | 1.00 | .90 |
| 24-30 in | 1.25 | 1.15 |
| 30-36 in | 1.50 | 1.35 |
| obtusa (Hinoki Cypress) | | |
| 15-18 in | .80 | |
| 18-24 in | 1.10 | |
| 24-30 in | 1.35 1.65 | |
| 30-36 in | 2.00 | |
| o. aurea (Golden Hinoki) | | |
| 18-24 in | 1.25 | |
| 24-30 in | 1.50 | |
| 30-36 in | 2.00 | |
| 3-4 ft | 2.75 | |
| 4-5 ft | 3.75 | |

| CHAMAECYPARIS—continued. | 10 | 100 |
|---|--------------------|------|
| o. crippsi. | 10 | 100 |
| 15-18 in | 1.00 | |
| 18-24 in | 1.25 | |
| o. ericoides (Heath Retinospora) | | |
| 24-30 in | 1.40 | 1.30 |
| 30-36 in | 1.65 | 1.50 |
| 3-4 ft | 2.00 | |
| pisifera aurea (Golden Sawara | | |
| Retinospora) 24-30 in | 0.0 | .85 |
| 30-36 in | $\frac{.90}{1.10}$ | 1.00 |
| | | |
| p. filifera aurea (Golden Thread- branch Retinospora) | | |
| 18-24 in | 1.25 | |
| 24-30 in | 1.50 | |
| | | |
| p. filifera aurea nana (Dwarf Golden Threadbranch Retinospora) Very compact and slow growing. | | |
| 9-12 in | 1.00 | |
| 12-15 in | 1.25 | |
| 15-18 in | 1.50 | |
| p. plumosa (Plume Retinospora) Upright, with soft feathery foli- | | |
| age. | 1.00 | 0.0 |
| 24-30 in | 1.25 | 1.15 |
| p. squarrosa (Moss Retinospora) Densely branched, with soft blue foliage. | | |
| 18-24 in | 1.00 | .90 |
| 24-30 in | 1.25 | 1.15 |
| 30-36 in | 1.50 | |
| p. squarrosa nana. A dwarf compact spreading type. | | |
| 18-24 in | 1.25 | |
| CRYPTOMERIA japonica elegans (Plume Cryptomeria) | | |
| 18-24 in | 1.10 | 1.00 |
| 24-30 in | 1.35 | 1.25 |
| 30-36 in | 1.65 | 1.50 |
| 3-4 ft | 2.00 | 1.75 |
| 4-5 ft | 2.25 | |
| j. globosa compacta (Dwarf Globe Cryptomeria) Compact, with yel- | | |
| lowish green foliage. | | |
| 6- 9 in | .65 | .60 |
| 9-12 in | .80 | .75 |
| 12-15 in | $1.10 \\ 1.50$ | 1.00 |
| | 1.90 | |
| CUPRESSUS arizonica compacta (Pyramidal Arizona Cypress) | | |
| 4-5 ft | 1.75 | |
| 5-6 ft | 2.25 | |

| JUNIPERUS chinensis pfitzeriana | 10 | 100 |
|---|------|------|
| (Pfitzer Juniper) | | |
| 12-15 in | .80 | .75 |
| 15-18 in | 1.10 | 1.00 |
| 18-24 in | 1.35 | 1.25 |
| 24-30 in | 1.65 | 1.50 |
| 30-36 in | 2.00 | 1.75 |
| c. eureka. | | |
| 18-24 in | 1.00 | |
| 24-30 in | 1.25 | |
| 30-36 in | 1.50 | |
| communis hibernica fastigiata (Columnar Irish Juniper) | | |
| 18-24 in | .80 | .75 |
| 24-30 in | 1.00 | .90 |
| 30-36 in | 1.20 | 1.10 |
| donwagge plumage (Vege Luniner) | | |
| depressa plumosa (Vase Juniper) 18-24 in | 1.35 | |
| 24-30 in | 1.65 | |
| | 1.00 | |
| horizontalis douglasi (Waukegan Juniper) | | |
| 12-15 in | 1.00 | .90 |
| 15-18 in | 1.25 | 1.15 |
| 18-24 in | 1.50 | |
| sabina (Savin Juniper) | | |
| 12-15 in | .80 | .75 |
| 15-18 in | 1.10 | 1.00 |
| 18-24 in | 1.35 | 1.25 |
| 24-30 in | 1.65 | 1.50 |
| s. tamariscifolia (Tamarix Savin Juniper) | | |
| 10-12 in | .80 | .75 |
| 12-15 in | 1.10 | 1.00 |
| 15-18 in | 1.25 | 1.15 |
| 18-24 in | 1.65 | 1.50 |
| 24-30 in | 2.10 | 1.85 |
| squamata meyeri (Meyer's Juniper) | | |
| Compact growth and very hardy. | | |
| Exceptionally fine silvery blue foliage. | | |
| 9-12 in | .80 | .75 |
| 12-15 in | 1.00 | .90 |
| 15-18 in | 1.25 | 1.15 |
| 18-24 in | 1.50 | 1.35 |
| v. glauca (Silver Redcedar) | | |
| 18-24 in | 1.35 | |
| 24-30 in | 1.65 | |
| 30-36 in | 2.00 | |
| v. tripartita (Fountain Redcedar) | | |
| 10-12 in | .80 | .75 |
| 12-15 in | 1.10 | 1.00 |
| 15-18 in | 1.25 | |

| PICEA engelmanni (Engelmann | | |
|-----------------------------|------|------|
| Spruce) | 10 | 100 |
| 12-18 in | .80 | .75 |
| 18-24 in | 1.10 | 1.00 |
| excelsa (Norway Spruce) | | |
| 12-18 in | .65 | .60 |
| 18-24 in | .80 | .75 |
| 24-30 in | 1.00 | .90 |



PICEA PUNGENS

Five year, twice transplanted. Very compact and symmetrical. Ideal for holiday sale as living Christmas trees.

| pungens (C | Colorado Spruce) Green 10 | 100 |
|------------|---------------------------|------|
| 15-18 | in | .85 |
| 18-24 | in 1.10 | 1.00 |
| 24-30 | in 1.35 | 1.25 |
| 30-36 | in 1.65 | 1.50 |

| | -l (G-ll- Di G) | |
|----|---|------|
| p. | glauca (Colorado Blue Spruce) | |
| | 12-15 in | 1.25 |
| | 15-18 in | 1.50 |
| | 18-24 in | 2.00 |
| | 24-30 in | 2.50 |
| p. | kosteriana (Koster Blue Spruce) Grafted. | |
| | 2-3 ft | 3.00 |
| | 3-4 ft | 4.00 |
| | | |

| PINUS montana mughus (Mugho Pine) | | |
|-----------------------------------|------|------|
| From selected seed. Dwarf and | | |
| compact. | 10 | 100 |
| '9-12 in | .90 | .85 |
| 12-15 in | 1.10 | 1.00 |
| 15-18 in | 1.35 | |
| nigra austriaca (Austrian Pine) | | |
| 18-24 in | 1.00 | |
| 24-30 in | 1.25 | |
| 30-36 in | 1.50 | |

3-4 ft. 1.75

..... 2.00

4-5 ft. ...



TAXUS BACCATA AUREA

| TAXUS baccata aurea (Golden | |
|-----------------------------|------|
| English Yew) | |
| 18-24 in | 1.35 |
| 24-30 in | 1.65 |
| 30-36 in | 2.00 |
| 3-4 ft | 2.75 |
| b. fastigiata (Irish Yew) | |
| 18-24 in | 1.25 |
| 24-30 in | 1.50 |
| 30-36 in | 2.00 |
| 3-4 ft | 2.50 |
| 4-5 ft | 3.75 |
| 5-6 ft | 5.00 |
| 6-7 ft | 6.25 |
| 7-8 ft | 7.50 |

| TAXUS—continued | | |
|--|---------------------|---------------------|
| b. fastigiata aurea (Golden Irish | | |
| Yew) | 10 | 100 |
| 24-30 in | 1.50 | |
| 30-36 in | $\frac{2.00}{2.50}$ | |
| | 2.00 | |
| cuspidata (Japanese Yew) 15-18 in | 1.10 | |
| 18-24 in | 1.35 | |
| 24-30 in | 1.65 | |
| | | |
| THUJA occidentalis aureovariegatus | | |
| (Goldspot or Lobbi Arborvitae) Pyramidal tree with gold marked | | |
| foliage. | | |
| 30-36 in | 1.25 | |
| 3-4 ft | 1.65 | |
| 4-5 ft | 2.00 | |
| oc. hoveyi (Hovey Arborvitae) Dwarf globose habit; dark green foliage. | | |
| 18-24 in | .85 | .80 |
| 24-30 in | 1.10 | 1.00 |
| oc. pyramidalis (Pyramidal Arbor- | | |
| vitae) | | |
| 24-30 in | 1.10 | 1.00 |
| 30-36 in | $1.35 \\ 1.65$ | $\frac{1.25}{1.50}$ |
| 3-4 ft | $\frac{1.05}{2.25}$ | 1.50 |
| 5-6 ft | 3.00 | |
| 6-7 ft | 4.00 | |
| oc. woodwardi (Woodward Arborvi- | | |
| tae) Dense globe, dark green foliage. | | |
| 12-15 in | .85 | .80 |
| 15-18 in | 1.10 | 1.00 |
| 18-24 in | 1.35 | 1.25 |
| orientalis aurea nana (Berkman Ar- | | |
| borvitae) 9-12 in | .70 | .65 |
| 12-15 in | .85 | .80 |
| 15-18 in | 1.10 | 1.00 |
| or. bakeri (Bakers Arborvitae) | | |
| 18-24 in | 1.00 | |
| or. beverleyensis (Golden Column | | |
| Arborvitae) | 4 40 | |
| 24-30 in | $\frac{1.10}{1.35}$ | |
| pachyphylloides. Silvery green, fine | 1.00 | |
| textured foliage. Bushy pyramidal | | |
| in growth. | | |
| 24-30 in | 1.00 | |
| 30-36 in | 1.35 | |
| TSUGA heterophylla (Western | | |
| Hemlock) | | |
| 24-30 in | 1.35 | 1.25 |
| 30-36 in | 1.65 | $\frac{1.50}{1.75}$ |
| 3-4 ft | $\frac{2.00}{2.50}$ | $\frac{1.75}{2.25}$ |
| 5-6 ft | 3.00 | |
| | | |

VINES AKEBIA quinata 10 100 3 year40 AMPELOPSIS quinquefolia (Virginia Creeper) 2 year20 .25 tricuspidata (Boston Ivy) .15 .12 1/2 2 inch pots 2 year30 .25 .35 .30 3 year BIGNONIA radicans (Trumpet Vine) Large orange-scarlet flowers. .35 .30 .40 .35 CELASTRUS scandens (Bittersweet) Large orange-yellow flowers. .35 2 year30 .35 3 year40 HEDERA helix (English Ivv) Cutting .10 grown06 h. baltica (Small-Leaf Ivv) .15 .10 .35 .30 h. conglomerata (Bunchleaf Ivy) 2 inch pots10 .08 maderensis varieg. (Varieg. Largeleaf Ivy) 2 year, 2½ in. pots..... .20 .15 JASMINUM beesianum (Rosy Jasmine) 2 year clumps40 .35 nudiflorum (Winter Jasmine) Yellow. 1 year clumps30 .25 officinalis (Common White Jasmine) 1 year clumps30 2 year clumps40 .35 LONICERA japonica halliana (Hall Japanese Honeysuckle) .25 2 year30 POLYGONUM auberti (Silverlace Vine) 2 inch pots15 .10 SCHIZOPHRAGMA hydrangeoides (Japanese Hydrangea Vine) .20 .15 .30 .35 4 inch pots WISTERIA floribunda longissima, single purple f. violacea plena, dbl. violet 2 year, grafted65 .60 3 year, grafted80 .75 sinensis, purple or white .40 3 year, seedlings45 TREE WISTERIA 2.50 2.00

CLEMATIS

| CLEMATIS paniculata (Sweet Autumn | |
|-------------------------------------|-----|
| Clematis) | 10 |
| 2½ inch pots | .20 |
| CLEMATIS, Hybrids | |
| Our Clematis are shipped from 2 1/2 | |
| in. pots and when re-set in four | |
| inch, should flower the following | |
| season. | |
| Jackmani, purple | .20 |
| Mme. B. Veillard, lilac | .20 |
| Montana rubens, rosy red | .20 |
| Tangutica obtusiuscula, bright | |
| yellow | .20 |
| Henryi, large white | .25 |
| Mme. Ed. Andre, red | .25 |
| Ramona, blue | .25 |
| Comptesse de Bouchaud, pink. | .35 |
| Kermesina, wine red | .35 |
| Lawsoniana, large blue | .35 |
| Wm. Kennett, deep lavender | .35 |
| Gypsy Queen, dark purple | .40 |



The President, violet purple... .40

CLEMATIS JACKMANI

LINING OUT STOCK

| LIMING OUT | SIUCE | _ | |
|----------------------------|----------|-----|---------|
| | | 10 | 100 |
| AMPELOPSIS tricuspidata | 2" p. | .15 | .12 1/2 |
| ARCTOSTAPHYLOS uva-ursi. | 2 ½" p. | .20 | .15 |
| AZALEA amoena | 2" p. | .10 | .07 |
| AZALEA ledifolia | 2" p. | .10 | .08 |
| BERBERIS verruculosa | 2 ½ " p. | .15 | .10 |
| BUXUS suffruticosa | Flat | .05 | .02 1/2 |
| CALLUNA vulgaris | Flat | .06 | .04 |
| CHAMAECYPARIS fletcheri. | 2 ½" p. | .15 | .12 |
| COTONEASTER francheti | 2 ½" p. | .15 | .10 |
| COTONEASTER horizontalis. | 2 ½" p. | .15 | .10 |
| COTONEASTER humifusa | 2" p. | .20 | .15 |
| | 3" p. | .25 | .20 |
| COTONEASTER parnayi | 2 ½" p. | .15 | .10 |
| COTONEASTER simonsi | 2" p. | .10 | .07 |
| DAPHNE odora | 2 ½" p. | .20 | .15 |
| ESCALLONIA glasnevinensis. | Flat | .07 | .05 |
| EUONYMUS japonica | Flat | .07 | .05 |
| HEDERA baltica | 2" p. | .10 | .08 |
| HEDERA conglomerata | 2" p. | .10 | .08 |
| ILEX crenata | Flat | .07 | .05 |
| ILEX pernyi | 2 ½" p. | .15 | .12 |
| POLYGONUM auberti | 2" p. | .15 | .10 |
| SCHIZOPHRAGMA | | | |
| hydrangeoides | _ | .20 | |
| STRANVAESIA undulata | 2" p. | .10 | .08 |

PERENNIALS

PHLOX decussata (Hardy Phlox)

2 year Field Grown.

Africa-Brilliant red.

Annie Laurie-Salmon pink.

Beacon-Cherry-red.

B. Comte-Red.

Champs Eleysee—Rich purple.

Daily Sketch—Salmon pink, carmine eye.

Enchantress-Salmon, pink eye.

Firebrand-Orange scarlet.

Geo. Stipp—Deep salmon, light-eye.

Graf Zeppelin-Pure white, vermilion eye.

Leo Schlageter—Large scarlet carmine, dark center.

Lillian-Pink.

Miss Lingard-White.

Morganrood—Large bright rose, deeper eye.

Rheinlander-Salmon pink.

R. P. Struthers-Carmine.

Starlight--Rich violet.

Thor-Salmon pink.

Von Hochberg-Reddish purple.

Widar-Reddish violet, white eye.

Per 10, \$1.75—Per 100, \$15.00


| DICENTRA spectabilis (Bleeding Heart) | 10 | 100 |
|---------------------------------------|------|-------|
| 2-3 crowns | 1.75 | 15.00 |
| 3-4 crowns | 2.00 | 17.50 |
| 4-5 crowns | 2.25 | 20.00 |
| 5-6 crowns | 2.75 | 25.00 |
| 6-8 crowns | 3.75 | 35.00 |

PEONIES

Our variety list includes many new and rare ones not shown here. All are doubles, except as noted. We supply strong 3 to 5-eye divisions, 25 of a variety at the 100 rate. Shipping season is from September 1 through the fall months.

| Albiflora—Single white | .35 | |
|---------------------------------|-----|-----|
| Avalanche—White | .25 | .20 |
| Ball O'Cotton—White | .30 | .25 |
| Baroness Schroeder—Blush white | .25 | .20 |
| Duchess de Nemours-White | .20 | |
| Felix Crousse—Red | .25 | .20 |
| Frances Willard—White | .30 | .25 |
| Henry Avery—Pink | .25 | |
| Inspecteur Lavergne—Dark red | .40 | .35 |
| J. N. Darling—Pink | .50 | .40 |
| Karl Rosefield—Crimson | .20 | .18 |
| Kelway's Glorious—White | .50 | .40 |
| Laura Dessert-White and yellow | .50 | |
| Longfellow—Bright crimson | .25 | .20 |
| Marie Crousse—Clear pink | .20 | .18 |
| Martha Bulloch—Large, deep pink | .30 | .25 |
| Mignon—Pink | .30 | .25 |
| Minnie Shaylor—White | .30 | .25 |
| Mme. de Verneville—Blush white | .20 | .18 |
| Mons. Dupont—Ivory white | .20 | .18 |
| Mons. Jules Elie—Deep pink | .25 | .20 |
| Mr. L. Van Leeuwen—Red | .50 | |
| Mrs. C. S. Minot—Clear pink | .30 | .25 |
| Mrs. John M. Kleitsch—Pink | .50 | .40 |
| Myrtle Gentry—Pink | .50 | .40 |
| Philippe Revoire—Deep red | .75 | |
| President Wilson—Deep pink | .35 | .30 |
| Primevere—White and yellow | .40 | .35 |
| Reine Hortense—Light pink | .25 | .20 |
| Sarah Bernhardt—Bright pink | .25 | .20 |
| Solange—Buff white | .30 | .25 |
| Walter Faxon—Clear pink | .35 | .30 |
| Wilton Lockwood—Large pink | .25 | |
| UNNAMED | | |

Red, Pink, White, Cream and Orchid. .20 .18



THREE SERIES ESPALIER PEAR

ESPALIER FRUIT TREES

Our espalier fruit trees are grown by the U. S. Espalier Nursery Company, of Portland. Dwarfed and trained by experts, these trees bear fruit as young trees. Shipping weight is light, bareroot with roots packed in moss.

APPLES:—3 year, 2 series @ \$2.50 each. 4 year, 3 series @ \$3.00 each.

Alexander—Hardy. Large, highly flavored, fine grained. Late keeper.

Allington Pepping — Medium large, striped red and yellow. Late.

Ananas-Medium large, golden yellow. Late.

Canada Renette—Large, lemon-yellow with red splashes. Juicy. Late.

Cunningham—Yellow striped with red, yellowishwhite flesh. Early.

Yellow Delicious-Golden yellow.

Golden Renette-Large, golden yellow. Late.

Gravenstein—Large, orange-yellow striped red. Early.

Jonathan—Medium large, with yellow patches. Late.

King David — Very large, yellow-green with bright red cheek. Winter.

Montrose-Large, red striped. Late.

Red Astrachan-Red cheeked. Early.

Red Delicious-Red striped, long pointed. Fall.

Rome Beauty-Orange-yellow striped red. Fall.

Spitzenberg—Medium large, deep red to flesh yellow. Late.

Yellow Transparent—Medium large, pale yellow. Very early.

York Imperial—Large, handsome fruit, crimson shaded, firm, juicy and mild sub-acid. November to January.

APRICOTS:—3 year, 2 series @ \$2.75 each.

4 year, 3 series @ \$3.25 each

Louis-Medium large, white, sweet. July-August. Moorpark-Orange with red cheek, juicy, rich flavor. One of the largest. August. Tilton—Large. High flavor. Uniform ripening.

Frost resistant.

CHERRIES, Sour:—3 year, 2 series @ \$2.75 each. 4 year, 3 series @ \$3.25 each.

Ostheimer Weichsel-Large, dark red.

CHERRIES, Sweet:—3 year, 2 series @ \$2.75 each. 4 year, 3 series @ \$3.25 each.

Bohemian—Dark red, sweet. Early. Bulgarian-Blood red, sweet. Late. Lambert—Large, dark red, sweet.

PEACHES:—3 year, 2 series @ \$2.75 each.

Alexander-Medium sized greenish-white. Freestone. August-September.

Early Beauty—Large, high flavored, well colored.

Early.

Elberta - Yellow with red cheek, Juicy. Freestone. August.

Hale Early-Large, rich yellow with red cheeks.

Lady Suzanne-Large white with pink cheeks. Freestone. August-September.

Late Crawford - Large, yellow with dull red cheeks. Flesh yellow. Late.

Rochester - Skin greenish white, covered with rich red. Juicy. Early.

Vermont — Fruit yellow with red cheek. Very juicy and sweet. Early.

PEARS:—3 year, 2 series @ \$2.50 each. 4 year, 3 series @ \$3.00 each.

Clapps Darling-Pale yellow with brown dots. Early.

Gellert Butter-Large lemon-yellow with russet. Early fall.

July Rainbow—Early.

Pastoren—Large, lemon-yellow with soft blush. Late.

Superfine—Large, juicy. Rich russet color fruit. November.

Tongern—Large, golden brown dotted red. Early

Trevoux-Large lemon-yellow. Early.

Williams Butter—Rich yellow with faint blush. Early.

PLUMS AND PRUNES:-

3 year, 2 series @ \$2.50 each. 4 year, 3 series @ \$3.00 each.

Belle Louvain-Large, blue-red, juicy and sweet. August-September.

Bulgarian-Large, dark red fruit, juicy. Hardy. September.

Forest Rose-Large, round, dark red. August. French Noble-Dark red fruit. Rich flavor. Midsummer.

Italian—Oval, purple. September.

Kirke-Large, crimson-violet. August.

Reine Claude-Large, dark purple. August.

Satsuma-Large, dark red fruit. August.

| | | INGS |
|--|--|------|
| | | |

| ULMUS pumila (Chinese Elm) | 10 | 100 |
|----------------------------|------|-------|
| 6-12 in | .75 | 5.00 |
| 12-18 in | 1.00 | 7.50 |
| 18-24 in | 1.50 | 10.00 |
| 2-3 ft | 2.00 | 15.00 |

| FRUIT TREE SEEDLINGS | | | | | |
|--|--------|--|--|--|--|
| Oregon Grown | | | | | |
| APPLE | r 1000 | | | | |
| 1/4 inch and up, branched | 25.00 | | | | |
| ¼ inch and up, straight | 20.00 | | | | |
| No. 1, $3/16-\frac{1}{4}$ inch, branched | 20.00 | | | | |
| No. 1, 3/16-1/4 inch, straight | 18.00 | | | | |
| No. 2, 2-3/16 inch, branched | 12.00 | | | | |
| No. 2, 2-3/16 inch, straight | 12.00 | | | | |
| No. 3, about 2/16 inch | 8.00 | | | | |
| | | | | | |
| PEAR | | | | | |
| ¼ inch and up, branched | 25.00 | | | | |
| ¼ inch and up, straight | 20.00 | | | | |
| No. 1, $3/16-\frac{1}{4}$ inch, branched | 22.00 | | | | |
| No. 1, $3/16-\frac{1}{4}$ inch, straight | 16.00 | | | | |
| No. 2, 2-3/16 inch, branched | 16.00 | | | | |
| No. 2, 2-3/16 inch straight | 12.00 | | | | |
| No. 3, about 2/16 inch | 8.00 | | | | |
| | | | | | |
| MAHALEB CHERRY | | | | | |
| ¼ inch and up | 20.00 | | | | |
| No. 1, 3/16-1/4 inch | 18.00 | | | | |
| No. 2, 2-3/16 inch | 14.00 | | | | |
| No. 3, about 2/16 inch | 10.00 | | | | |
| | | | | | |
| MAZZARD CHERRY | | | | | |
| ¼ inch and up | 20.00 | | | | |
| No. 1, 3/16-1/4 inch | 18.00 | | | | |
| No. 2, 2-3/16 inch | 14.00 | | | | |
| No. 3, about 2/16 inch | 10.00 | | | | |
| | | | | | |
| MYROBALAN PLUM | | | | | |
| ¼ inch and up | 20.00 | | | | |
| No. 1, 3/16-1/4 inch | 18.00 | | | | |
| No. 2, 2-3/16 inch | 14.00 | | | | |
| No. 3, about 2/16 inch | 10.00 | | | | |
| | | | | | |
| QUINCE, Rooted Cuttings | | | | | |
| ¼ inch and up | | | | | |
| 37- 4 0 /4 C 1/ 2 ab | 27 50 | | | | |

FRUIT TREES

Since speed of growth of different fruit trees varies, the caliper shall govern in grading, and heights given are approximate only.

Less than 5 of a variety may be charged at 5 cents more per tree.

APPLE

| | Per | Per | Per |
|--|--------|---------|----------|
| Branched | 10 | 100 | 1000 |
| 11/16-1 in., 4 ft. and up | \$3.50 | \$32.50 | \$300.00 |
| 9-11/16, 3 ½ ft. and up | 3.25 | 30.00 | 275.00 |
| 7-9/16, 3 ft. and up | 3.00 | 27.50 | 250.00 |
| 5-7/16, 2 ft. and up | 2.75 | 25.00 | 225.00 |
| Whips | | | |
| 5% in. and up, 4 ft. and up | 3.25 | 30.00 | 275.00 |
| $\frac{1}{2}$ - $\frac{5}{8}$, 4 ft. and up | 3.00 | 27.50 | 250.00 |

| $\frac{4}{4} - \frac{3}{8}$, 2 ft. and up | 2.50 |
|--|------|
| Anoka | F |
| Baldwin | F |
| Banana | F |
| Black Rome Beauty | F |
| Cortland | F |
| Delicious | F |
| Duchess of Oldenburg | F |
| Gravenstein | S |
| Grimes Golden | S |
| Jonathan | V |
| King of Tompkins Co. | V |
| McIntosh Black | V |
| McIntosh Red | Y |
| Milton | 7 |

 $\frac{3}{8} - \frac{1}{2}$, 3 ft. and up.... 2.75

Red Astrachan
R. I. Greening
Red Delicious
Red Gravenstein
Red Rome Beauty
Red Spy
Rome Beauty
Spitzenburg
Stayman Winesap
Wagener
Wealthy
Winesap
Yellow Delicious
Yellow Newtown
Yellow Transparent

25.00

22.50

225.00

200.00

CRABAPPLE

Grades and prices same as for Apples.

Dolgo Transcendent
Hyslop Whitney

Red Siberian

Northern Spy

PEAR

Grades and prices same as for Apples.

| Anjou | Flemish Beauty |
|-----------------|-----------------|
| Bartlett | Gorham |
| Bosc | Kieffer |
| Clairgeau | Seckel |
| Clapps Favorite | Winter Bartlett |
| Comice | Winter Nelis |

NECTARINE

| | | 11111 | TARE. | TIA III | | |
|---------------|-------|---------|-------|----------|---------|----------|
| | | | | Per | Per | Per |
| One Year | | | | 10 | 100 | 1000 |
| 5% and ₁ | ıp, 4 | ft. and | up. | . \$3.25 | \$30.00 | \$275.00 |
| 1/2 - 5/8 , 4 | ft. a | nd up. | | . 3.00 | 27.50 | 250.00 |
| 3/8 - 1/2, 3 | ft. a | nd up. | | . 2.75 | 25.00 | 225.00 |
| ½ - 3/8 , 2 | ft. a | nd up. | | 2.50 | 22.50 | 200.00 |
| | | | | | | |

Boston New White Early Violet Stanwick

| CHERRY—Se | our | ۰ |
|-----------|-----|---|
|-----------|-----|---|

| 01111111 | - COUL | | |
|---|--------|---------|----------|
| | Per | Per | Per |
| Branched | 10 | 100 | 1000 |
| 11/16 and up, 4 ft. and up | \$3.50 | \$32.50 | \$300.00 |
| 9-11/16, 3 ft. and up | 3.25 | 30.00 | 275.00 |
| $7-9/16$, $2\frac{1}{2}$ ft. and up | 3.00 | 27.50 | 250.00 |
| 5-7/16, 2 ft. and up | 2.75 | 25.00 | 225.00 |
| Whips | | | |
| 5% in. and up, 3 ½ ft. and up | 3.25 | 30.00 | 275.00 |
| ½-5%, 3 ft. and up | 3.00 | 27.50 | 250.00 |
| $\frac{3}{8} - \frac{1}{2}$, $2\frac{1}{2}$ ft. and up | 2.75 | 25.00 | 225.00 |
| $\frac{1}{4} - \frac{3}{8}$, 2 ft. and up | 2.50 | 22.50 | 200.00 |
| Early Richmond | Ma | y Duke | |
| English Morello | Mo | ntmoren | cy Lg. |
| Late Duke | | | |

| CHERRY— | Sweet | | |
|--|--------|----------|----------|
| | Per | Per | Per |
| Branched | 10 | 100 | 1000 |
| 11/16 and up, 4 ft. and up | \$4.00 | \$37.50 | \$350.00 |
| 9-11/16, 3 ½ ft. and up | 3.75 | 35.00 | 325.00 |
| 7-9/16, 3 ft. and up | 3.50 | 32.50 | 300.00 |
| 5-7/16, 2 ft. and up | 3.25 | 30.00 | 275.00 |
| Whips | | | |
| 5% and up, 4 ft. and up | 3.75 | 35.00 | 325.00 |
| $\frac{1}{2}$ - $\frac{5}{8}$, 4 ft. and up | 3.50 | 32.50 | 300.00 |
| $\frac{3}{8} - \frac{1}{2}$, 3 ft. and up | 3.25 | 30.00 | 275.00 |
| $\frac{1}{4} - \frac{3}{8}$, 2 ft. and up | 3.00 | 27.50 | 250.00 |
| Bing | Laml | bert | |
| Black Tartarian | Roya | l Ann | |
| Black Republican | Schm | id's Big | gareau |
| Deacon | Wind | lsor | |

APRICOT

| | Per | Per | Per |
|--|----------|---------|----------|
| One Year | 10 | 100 | 1000 |
| 5/8 and up, 4 ft. and up | . \$3.25 | \$30.00 | \$275.00 |
| $\frac{1}{2}$ - $\frac{5}{8}$, 4 ft. and up | . 3.00 | 27.50 | 250.00 |
| $\frac{3}{8} - \frac{1}{2}$, 3 ft. and up | . 2.75 | 25.00 | 225.00 |
| 1/4-3/8, 2 ft. and up | . 2.50 | 22.50 | 200.00 |
| Blenheim | Supe | rb | |
| Chinese | Tilto | n | |
| Moorpark | Wen | atchee | |

PEACH

Grades and prices same as for Apricots.

Royal

| Crawfords Early | Muir |
|------------------|-----------|
| Crawfords Late | Orange |
| Early Charlotte | Rochester |
| Elberta | Slappy |
| Golden Jubilee | So. Haven |
| Hales Early | Valiant |
| Improved Elberta | Vedette |
| J. H. Hale | Veteran |
| | |

| DI | TIM | 9.1 | De | PR | UN | E |
|----|-----|-----|----|-----|----|---|
| | | a | | III | | |

| | Per | Per | Per |
|--|--------|---------|----------|
| Branched | 10 | 100 | 1000 |
| 11/16 and up, 5 ft. and up. | \$3.50 | \$32.50 | \$300.00 |
| 9-11/16, 4 ft. and up | 3.25 | 30.00 | 275.00 |
| 7-9/16, 3 ft. and up | 3.00 | 27.50 | 250.00 |
| 5-7/16, 2 ft. and up | 2.75 | 25.00 | 225.00 |
| $\frac{5}{8}$ and up, 5 ft. and up | 3.25 | 30.00 | 275.00 |
| $\frac{1}{2} - \frac{5}{8}$, 4 ft. and up | 3.00 | 27.50 | 250.00 |
| $\frac{3}{8} - \frac{1}{2}$, 3 ft. and up | 2.75 | 25.00 | 225.00 |
| $\frac{1}{4} - \frac{3}{8}$, 2 ft. and up | 2.50 | 22.50 | 200.00 |
| Plum | Pı | rune | |

| Plum | Prune |
|-------------|-----------------|
| Beauty | Date |
| Blue Damson | French |
| Bradshaw | French Improved |
| Burbank | German |
| Green Gage | Italian |
| Peach | Maynard |
| Santa Rosa | Silver |
| Satsuma | Sugar |
| Shiro | |
| Yellow Egg | |

QUINCE

Per

Per

| | 10 100 |
|------------------|---------------------|
| 4-5 ft. branched | .\$4.00 \$37.50 |
| 3-4 ft. branched | . 3.50 32.50 |
| | |

Champion Orange Bourgeat Pineapple

NUT TREES

ALMONDS

| % and up, 4 ft. and up | \$3.25 | \$30.00 |
|---|----------------|---------|
| ½ to % up, 4 ft. and up | 3.00 | 27.50 |
| $\frac{3}{8}$ to $\frac{1}{2}$, 3 ft. and up | 2.75 | 25.00 |
| 1/4 to 3/8, 2 ft. and up | 2.50 | 22.50 |
| Drakes Seedling | Nonpariel | |
| I. X. L. | Texas Prolific | |
| | Don | Don |

| | | | | | | | | | | |] | FI. | H | <i>[</i>] | В | E | F | ₹′. | r | | | | | | | $\frac{\text{Per}}{10}$ | | | 10 | • | |
|-----------|---------|--|--|--|--|--|--|--|--|--|---|-----|---|------------|---|---|---|-----|---|---|----|-----|---|---|------|-------------------------|---|----|-----|-----|--|
| 4-5 | ft. | | | | | | | | | | | | | | | | | | | | | | | | \$ | 4.0 | 0 | \$ | 35. | 0 0 | |
| 3-4 | ft. | | | | | | | | | | | | | | | | | | | | | | | | | 3.5 | 0 | | 30. | 0 0 | |
| 2-3 | ft. | | | | | | | | | | | | | | | | | | | | | | | | | 3.0 | 0 | | 25. | 00 | |
| Barcelona | | | | | | | | | | | | | | | | | | | | | | 11; | | | | | | | | | |
| | Daviana | | | | | | | | | | | | | | | | | 7 | W | T | ıi | it | е | A | lvel | ine | е | | | | |

| WALNUT Franquette, Grafts. | Per 10 | Per 100 |
|---|-----------|------------|
| 8-10 ft., 2 year branched 6-8 ft., 2 year branched | | |
| 8-10 ft., 1 year | . 12.00 | \$110.00 |
| 4- 6 ft., 1 year | 7.50 | |

SMALL FRUITS

| BLACKBER | RIES | | |
|--------------------|----------------------|-----------|-------------|
| Evergreen | Lawton | | |
| Himalaya | Mammoth | | |
| | | Per 10 | Per 100 |
| Transplants | \$ | .80 | \$6.50 |
| Cory's Thornless | | | The same |
| Transplants | | 1.50 | 12.50 |
| Tip layers | | .75 | 6.50 |
| | | | |
| RASPBERR | IES | | |
| Chief | Lloyd Ged | | |
| Cuthbert Latham | New Was | hingto | n |
| | Newberg | .60 | 4.00 |
| Transplants | | .30 | 2.00 |
| St. Regis (Ever) | | | |
| Transplants | ASSESSED TO STATE OF | .75 | 6.50 |
| Suckers | | | 3.50 |
| | | | |
| CURRANT | rs | | |
| Fay's Prolific | Perfection | n | |
| 2 year No. 1 | | 1.00 | 8.75 |
| 1 year No. 1 | | .90 | 7.50 |
| | | | |
| GOOSEBERI | RIES | | |
| Oregon Champion | | | |
| 2 year No. 1 | | | 8.75 7.50 |
| 1 year No. 1 | | .90 | 1.50 |
| STRAWBER | PIEC | | |
| Banner | New Oreg | on | |
| Improved Marshall | new oreg | OII | |
| | Per 100 | | |
| | .85 | 6 | .50 |
| Mastodon (Ever) | | | |
| Rockhill | 1.25 | 10 | .00 |
| ROCKIIII | 4.00 | 30 | .00 |
| | | | |
| ASPARAG | US | | |
| Mary Washington | Palmetto | | |
| 3 year | \$1. | 35 \$ | 11.00 |
| 2 year | 1. | .25 | 8.00 |
| | | | |
| HORSERAD | ISH | Per | Per |
| | | 10 | 100 |
| Crowns | | .75 | 5.50 |
| | | | |
| RHUBAR | | | |
| Mammoth Victoria | Riverside | Giant | |

Crown divisions Strawberry

Crown divisions

.75

6.00

7.00

COMMON NAMES INDEX

| P | ages |
|------------------|-------|
| Abelia | 21 |
| Akebia | 37 |
| Almond, Flg | |
| Althea | 16 |
| Andromeda | |
| Arborvitae | 36 |
| Ash | |
| Aspen, Wpg | |
| Aucuba | 21 |
| Azalea 13-14-2 | |
| Barberry 14-2 | 1-39 |
| Bearberry | 1-39 |
| Birch | 3 |
| Bittersweet | |
| Boxelder | 2 |
| Boxwood2 | 2-29 |
| Broom | |
| Buddleia | |
| Calycanthus | 11 |
| Camellia | |
| Catalpa | |
| Catarpa | |
| Cedar | 31 |
| Cherry, Flg | |
| Clematis | |
| Coralberry | 18 |
| Cotoneaster 15-2 | 25-39 |
| Crab, Flg | |
| Cranberry | 20 |
| Cryptomeria | 32 |
| Cypress 31-3 | 32-39 |
| Daphne | 6-30 |
| Deutzia | |
| Dogwood | |
| | |
| Elm | |
| Enkianthus | 15 |
| Escallonea | |
| Euonymus 15- | 27-39 |
| Fir | 31 |
| Firethorn | 29 |
| Forsythia | 16 |
| Goldenrain-tree | = |
| | |
| Hawthorn | 4 |
| Heather | 26-39 |
| Hemlock | 36 |
| Holly | |
| Honeysuckle 17- | |
| Hydrangea | 16 |
| Hydrangea vine | 37-39 |
| Ivy 27- | 37-39 |
| Jasmine | 37 |
| Juniper | 33 |
| ouniper | 99 |
| Kalmia | 28 |
| Kerria | 17 |
| Koelreuteria | 5 |
| Kolkwitzia | 17 |

| COMMON NAMES INDEX—Cont. | Pages |
|--------------------------|-------|
| Laburnum | . 5 |
| Laurel | |
| Laurustinus | |
| Lilac | |
| Linden | |
| | |
| Locust | 5-11 |
| Maidenhair-tree | 5 |
| Magnolia | 6 |
| Maple | |
| Mexican Orange | |
| | |
| Mock Orange | |
| Mountain Ash | |
| Mulberry | . 8 |
| Mandina | 9.0 |
| Nandina | 28 |
| Oak | 11 |
| Oregon Grape | |
| Osmanthus | 29 |
| Osmantinus | 49 |
| Peach, Flg | 2 |
| Pearlbush | |
| Pernettya | |
| | |
| Photinia | |
| Pine | |
| Plum, Flg | |
| Poplar | |
| Privet | 20-28 |
| Onlines Piles | |
| Quince, Flg | . 15 |
| Redbud | . 3 |
| Retinospora31 | |
| | |
| Rhododendron | |
| Rose of Sharon | 16 |
| Silverlace Vine | 37-39 |
| Skimmia | |
| Smoketree | |
| | |
| Snowball | |
| Snowbell | |
| Snowberry | |
| Sorbaria | |
| Spirea | 14-18 |
| Spruce | . 34 |
| Stranvesia | 30-39 |
| Strawberry Tree | 21 |
| Styrax | |
| Sweetgum | |
| Sycamore | |
| | |
| Tamarix | . 19 |
| Trumpet Vine | . 37 |
| Tuliptree | |
| | |
| Viburnum | 20-30 |
| | |
| Wayfaring Tree | |
| Weigela | |
| Willow | |
| Wintersweet | . 17 |
| Wisteria | |
| Witchhazel | |
| | |
| Yellowwood | . 3 |
| Yew | 35-36 |
| | |

